

**CORRECTED
VERSION***

PCT

Best Available Copy



WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : C12N 15/86, A61K 48/00	A1	(11) International Publication Number: WO 98/22609 (43) International Publication Date: 28 May 1998 (28.05.98)
(21) International Application Number: PCT/US97/21494		(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
(22) International Filing Date: 20 November 1997 (20.11.97)		
(30) Priority Data: 08/752,760 20 November 1996 (20.11.96) US		Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(71) Applicant (<i>for all designated States except US</i>): GENZYME CORPORATION [US/US]; One Mountain Road, Framingham, MA 01701 (US).		
(72) Inventors; and		
(75) Inventors/Applicants (<i>for US only</i>): ARMENTANO, Donna, E. [US/US]; 352 Brighton Street, Belmont, MA 02178 (US). GREGORY, Richard, J. [US/US]; 2 Wintergreen Lane, Westford, MA 01866 (US). SMITH, Alan, E. [GB/US]; 1 Mill Street, Dover, MA 02030 (US).		
(74) Agent: SEIDE, Rochelle, K.; Baker & Botts, LLP, 30 Rockefeller Plaza, New York, NY 10112 (US).		
(54) Title: CHIMERIC ADENOVIRAL VECTORS		
(57) Abstract		
A chimeric adenoviral vector is provided that comprises nucleotide sequence of a first adenovirus, wherein all or part of at least one gene of said first adenovirus encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by all or part of the corresponding gene from a second adenovirus belonging to subgroup D, said vector further comprising a transgene operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell. Compositions comprising such vectors and methods of using such vectors to deliver transgenes to target mammalian cells, particularly airway epithelial cells, are also provided.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

- 1 -

Description

Chimeric Adenoviral Vectors

5 Introduction

The present invention relates to chimeric adenoviral vectors, that is, vectors comprising DNA from more than one serotype of adenovirus, which offer enhanced infection efficiency of target cells in order to deliver one or more therapeutically useful nucleotide sequences, including transgenes, therein. Such a nucleotide sequence may comprise a gene not otherwise present in the target cell that codes for a therapeutic and/or biologically active protein, or may represent, for example, an active copy of a gene that is already present in the target cell, but in a defective or deficient form.

15 Background of the Invention

One of the fundamental challenges now facing medical practitioners is that although the defective genes that are associated with numerous inherited diseases (or that represent disease risk factors including for various cancers) have been isolated and characterized, methods to correct the disease states themselves by providing patients with normal copies of such genes (the technique of gene therapy) are substantially lacking. Accordingly, the development of improved methods of intracellular delivery therefor is of great medical importance. Examples of diseases that it is hoped can be treated by gene therapy include inherited disorders such as cystic fibrosis, Gaucher's disease, Fabry's disease, and muscular dystrophy.

20 Representative of acquired disorders that can be treated are: (1) for cancers: multiple myeloma, leukemias, melanomas, ovarian carcinoma and small cell lung cancer; (2) for cardiovascular conditions: progressive heart failure, restenosis, and hemophilias; and (3) for neurological conditions: traumatic brain injury.

- 2 -

Gene therapy requires successful transfer of nucleic acid to the target cells of a patient. Gene transfer may generally be defined as the process of introducing an expressible polynucleotide (for example a gene, a cDNA, or an mRNA patterned thereon) into a cell. In a particular application of this approach, successful expression 5 of an encoding polynucleotide leads to production in the cells of a normal protein and leads to correction of a disease state associated with an abnormal gene. Therapies based on providing such proteins directly to target cells (protein replacement therapy) have generally proved ineffective since, for example, the cell membrane presents a selectively permeable barrier to entry. Thus there is great interest in alternative 10 methods to cause delivery of therapeutic proteins, especially by transfer of the relevant polynucleotide, often referred to as a transgene.

Viral vectors have been used with increasing frequency to date to deliver transgenes to target cells. Most attempts to use viral vectors for gene therapy have relied on retrovirus-based vectors, chiefly because of their ability to integrate into the 15 cellular genome. However, the disadvantages of retroviral vectors are becoming increasingly clear, including their tropism for dividing cells only, the possibility of insertional mutagenesis upon integration into the cell genome, decreased expression of the transgene over time, rapid inactivation by serum complement, and the possibility of generation of replication-competent retroviruses. See, for example, D. Jolly, et al., 20 Cancer Gene Therapy, 1, 1994, pp. 51-64, and C.P. Hodgson, et al., Bio Technology , 13, 1995, pp. 222-225. Such disadvantages have led to the development of other viral-based vector systems, including those derived from adenoviruses.

Adenovirus (Ad) is a nuclear DNA virus with a genome of about 36 kb, which has been well-characterized through studies in classical genetics and molecular 25 biology. A detailed discussion of adenovirus is found in Thomas Shenk, "Adenoviridae and their Replication", and M. S. Horwitz, "Adenoviruses" , Chapters 67 and 68, respectively, in Virology, B.N. Fields et al., eds., 2nd edition, Raven Press, Ltd., New York, 1996, and reference therein is found to numerous aspects of adenovirus pathology, epidemiology, structure, replication, genetics and classification.

- 3 -

In a simplified form, the adenoviral genome is classified into early (known as E1-E4) and late (known as L1-L5) transcriptional units, referring to the generation of two temporal classes of viral proteins. The demarcation between these events is viral DNA replication.

5 The human adenoviruses are divided into numerous serotypes (approximately 47, numbered accordingly and classified into 6 subgroups: A, B, C, D, E and F), based upon properties including hemagglutination of red blood cells, oncogenicity, DNA base and protein amino acid compositions and homologies, and antigenic relationships. Additional background information concerning Ad serotype
10 classification, including that for subgroup D, can be found, for example, in F. Deryckere et al., Journal of Virology, 70, 1996, pp. 2832-2841; and A. Bailey et al., Virology, 205, 1994, pp. 438-452, and in other art-recognized references.

Adenoviruses are nonenveloped, regular icosahedrons (having 20 triangular surfaces and 12 vertices) that are about 65-80 nm in diameter. A protein called fiber
15 projects from each of these vertices. The fiber protein is itself generally composed of 3 identical polypeptide chains, although the length thereof varies between serotypes. The protein coat (capsid) is composed of 252 subunits (capsomeres), of which 240 are hexons, and 12 are pentons. Each penton comprises a penton base, on the surface of the capsid, and a fiber protein projecting from the base. The Ad 2 penton base protein,
20 for example, has been determined to be a 8 x 9 nm ring shaped complex composed of 5 identical protein subunits of 571 amino acids each.

Current understanding of adenovirus-cell interactions suggests that adenovirus utilizes two cellular receptors to attach to, and then infect a target cell. It has been further suggested that the fiber protein of an infecting adenovirus first attaches to a
25 receptor, the identity of which is still unknown, and then penton base attaches to a further receptor, often a protein of the alpha integrin family. It has been determined that alpha-integrins often recognize short amino acid sequences on other cellular proteins for attachment purposes including the tripeptide sequence Arg-Gly-Asp (abbreviated RGD). An RGD sequence is also found in the penton base protein of

- 4 -

adenovirus and is currently understood in the art to mediate attachment of Ad to alpha integrins.

Recombinant adenoviruses have several advantages for use as gene transfer vectors, including tropism for both dividing and non-dividing cells, minimal pathogenic potential, ability to replicate to high titer for preparation of vector stocks, and the potential to carry large inserts (Berkner, K.L., *Curr. Top. Micro. Immunol.* 158:39-66, 1992; Jolly, D., *Cancer Gene Therapy* 1:51-64, 1994).

The carrying capacity of an adenovirus vector is proportional to the size of the adenovirus genome present in the vector. For example, a capacity of about 8 kb can be created from the deletion of certain regions of the virus genome dispensable for virus growth, e.g., E3, and the deletion of a genomic region such as E1 whose function may be restored in trans from 293 cells (Graham, F.L., *J. Gen. Virol.* 36:59-72, 1977) or A549 cells (Imler et al., *Gene Therapy* 3:75-84, 1996). Such E1-deleted vectors are rendered replication-defective, which is desirable for the engineering of adenoviruses for gene transfer. The upper limit of vector DNA capacity for optimal carrying capacity is about 105%-108% of the length of the wild-type genome. Further adenovirus genomic modifications are possible in vector design using cell lines which supply other viral gene products in trans, e.g., complementation of E2a (Zhou et al., *J. Virol.* 70:7030-7038, 1996), complementation of E4 (Krougliak et al., *Hum. Gene Ther.* 6:1575-1586, 1995; Wang et al., *Gene Ther.* 2:775-783, 1995), or complementation of protein IX (Caravokyri et al., *J. Virol.* 69:6627-6633, 1995; Krougliak et al., *Hum. Gene Ther.* 6:1575-1586, 1995). Maximal carrying capacity can be achieved using adenoviral vectors deleted for all viral coding sequences (Kochanek et al., *Proc. Natl. Acad. Sci. USA* 93:5731-5736, 1996; Fisher et al., *Virology* 217:11-22, 1996).

Transgenes that have been expressed to date by adenoviral vectors include p53 (Wills et al., *Human Gene Therapy* 5:1079-188, 1994); dystrophin (Vincent et al., *Nature Genetics* 5:130-134, 1993; erythropoietin (Descamps et al., *Human Gene Therapy* 5:979-985, 1994; ornithine transcarbamylase (Stratford-Perricaudet et al.,

- 5 -

Human Gene Therapy 1:241-256, 1990; We et al., J. Biol. Chem. 271:3639-3646, 1996;); adenosine deaminase (Mitani et al., Human Gene Therapy 5:941-948, 1994); interleukin-2 (Haddada et al., Human Gene Therapy 4:703-711, 1993); and α 1-antitrypsin (Jaffe et al., Nature Genetics 1:372-378, 1992); thrombopoietin 5 (Ohwada et al., Blood 88:778-784, 1996); and cytosine deaminase (Ohwada et al., Hum. Gene Ther. 7:1567-1576, 1996).

The particular tropism of adenoviruses for cells of the respiratory tract has particular relevance to the use of adenovirus in gene therapy for cystic fibrosis (CF), which is the most common autosomal recessive disease in Caucasians. The disease is 10 caused by the presence of one or more mutations in the gene that encodes a protein known as cystic fibrosis transmembrane conductance regulator (CFTR), and which regulates the movement of ions (and therefore fluid) across the cell membrane of epithelial cells, including lung epithelial cells. Abnormal ion transport in airway cells leads to abnormal mucous secretion, inflammation and infection, tissue damage, 15 and eventually death. Mutations in the CFTR gene that disturb the cAMP-regulated Cl⁻ channel in airway epithelia result in pulmonary dysfunction (Zabner et al., Nature Genetics 6:75-83, 1994). Adenovirus vectors engineered to carry the CFTR gene have been developed (Rich et al., Human Gene Therapy 4:461-476, 1993) and studies have shown the ability of these vectors to deliver CFTR to nasal epithelia of CF patients 20 (Zabner et al., Cell 75:207-216, 1993), the airway epithelia of cotton rats and primates (Zabner et al., Nature Genetics 6:75-83, 1994), and the respiratory epithelium of CF patients (Crystal et al., Nature Genetics 8:42-51, 1994). Recent studies have shown that administering an adenoviral vector containing a DNA sequence encoding CFTR 25 to airway epithelial cells of CF patients can restore a functioning chloride ion channel in the treated epithelial cells (Zabner et al., J. Clin. Invest. 97:1504-1511, 1996; U.S. Patent No. 5,670,488 issued September 23, 1997).

Serotype classification is partly based on viral surface protein sequence variation. Because the infectious capabilities of the virus are associated with the surface protein interactions of the virus with cellular proteins, the serotype is an

- 6 -

important determinant of viral entry into target cells, and can account for the infectious heterogeneity of adenovirus serotypes. Most adenoviral vectors have been constructed using adenovirus serotypes from the well-studied group C adenoviruses, especially Ad 2 and Ad 5. However, other adenovirus serotypes display infectious properties that are relevant to the further design of improved adenoviral vectors, for example, those derived from subgroup D, which display enhanced tropism for human airway epithelial cells.

It is widely hoped that gene therapy will provide a long lasting and predictable form of therapy for certain disease states, and it is likely the only form of therapy suitable for many inherited diseases. Although adenoviral vectors are currently in clinical use and have shown therapeutic promise, a need remains to improve the infection efficiency of these vectors in order to further improve their gene transfer capabilities. The present invention addresses this goal.

15 Summary Of The Invention

The present invention provides for chimeric adenoviral vectors which offer enhanced infection efficiency of target cells for the delivery of one or more transgenes. In a representative aspect of the invention, the vectors comprise nucleotide sequences coding for therapeutically useful proteins and have enhanced tropism for airway epithelial cells.

Accordingly, there are provided chimeric adenoviral vectors comprising nucleotide sequence of a first adenovirus, wherein at least one gene of said first adenovirus encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by the corresponding gene from a second adenovirus belonging to subgroup D. These vectors may further comprising a transgene operably linked to a eucaryotic promoter or other regulatory elements to allow for expression therefrom in a mammalian cell. In a representative aspect thereof, the replaced encoding sequence codes for Ad fiber, hexon or penton base.

- 7 -

- In a further preferred embodiment of the invention, there are provided chimeric adenoviral vectors comprising nucleotide sequence of a first adenovirus, wherein a portion of a gene thereof encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by a
- 5 portion of the corresponding gene from a second adenovirus belonging to subgroup D. These vectors may further comprising a transgene operably linked to a eucaryotic promoter or other regulatory elements to allow for expression therefrom in a mammalian cell. In a representative aspect thereof, the replaced encoding sequence codes for a portion of Ad fiber, hexon or penton base.
- 10 Preferably, the second adenovirus is a member of subgroup D, and the replaced nucleotide sequence encodes a polypeptide selected from the group consisting of Ad fiber, a fragment of Ad fiber, Ad hexon, a fragment of Ad hexon, Ad penton base, and a fragment of Ad penton base. In a preferred embodiment, said second adenovirus is selected from the group consisting of serotypes Ad 9, Ad 15, Ad
- 15 17, Ad 19, Ad 20, Ad 22, Ad 26, Ad 27, Ad 28, Ad 30, and Ad 39. In preferred embodiments of the chimeric adenoviral vectors, the first adenovirus is selected from the group consisting of Ad 2, Ad 5, and Ad 12.
- The invention is also directed to compositions comprising the chimeric adenoviral vectors of the invention. Additional aspects of the invention include
- 20 methods to use the chimeric adenoviral vectors of the invention to deliver transgenes to mammalian target cells, for example, to the airway epithelial cells of patients.
- A still further representative aspect of the invention involves a method of providing a therapeutic and/or biologically active protein to the airway epithelial cells of a patient by administering to said cells an adenoviral vector comprising elements of
- 25 an Ad 17 genome, and a transgene encoding said therapeutic protein that is operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell, under conditions whereby the transgene encoding said therapeutic protein is expressed, and therapeutic benefit is produced in said airway epithelial cells.

- 8 -

These and other aspects of the present invention are described in the Detailed Description of the Invention which follows directly.

Brief Description of the Drawings

- 5 FIGURE 1 depicts infection of NHBE cells by Ad 2.
FIGURE 2 depicts infection of NHBE cells by Ad 17.
FIGURE 3 plots the result of binding to human nasal polyp epithelial cell isolates by Ad 2 and Ad 17.
FIGURE 4 is a map of the vector Ad2/βgal-2/fiber Ad 17.
10 FIGURE 5 shows a comparison of the amino acid sequence of penton base from Ad 17 (top) [SEQ ID NO: 4] and Ad 2 (bottom) [SEQ ID NO: 5], and further depicts the variable RGD containing region.
FIGURE 6 depicts an amino acid sequence pileup for penton base from particular Ad serotypes, including f10 (from fowl) [SEQ ID NO: 6 through SEQ ID
15 NO: 10].
FIGURE 7 shows a comparison of the amino acid sequence of fiber from Ad 17 (top) [SEQ ID NO: 11] and Ad 2 (bottom) [SEQ ID NO: 12].
FIGURE 8 depicts an amino acid sequence pileup for fiber from particular Ad serotypes [SEQ ID NO: 11 through SEQ ID NO: 22], including two forms of serotype
20 40 (40-1 and 40-2) which differ in that one variant has two (but non-identical) copies of the fiber gene.
FIGURE 9 shows the infection efficiency of colon cancer cell lines by adenovirus serotypes.
FIGURE 10 shows the infection efficiency of cancer cell lines by adenovirus
25 serotypes.
Provided in the Sequence Listing attached hereto are also:
SEQ ID NO: 1, the complete nucleotide sequence of Ad 17;
SEQ ID NO: 2, the complete encoding nucleotide sequence for Ad 17 fiber;

- 9 -

SEQ ID NO: 3, the complete encoding nucleotide sequence for Ad 17 penton base.

Detailed Description of the Invention

5 The present invention provides for chimeric adenoviral vectors comprising nucleotide sequence of a first adenovirus, wherein at least one gene of said first adenovirus encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by the corresponding gene from a second adenovirus belonging to subgroup D, said vectors
10 further comprising a transgene operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell. In a representative aspect thereof, the replaced encoding sequence correspond to the gene encoding the Ad fiber, hexon or penton base proteins, or combinations thereof.

In a further preferred embodiment of the invention, there are provided chimeric
15 adenoviral vectors comprising nucleotide sequence of a first adenovirus, wherein a portion of a gene thereof encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by a portion of the corresponding gene from a second adenovirus belonging to subgroup D, said vectors further comprising a transgene operably linked to a eucaryotic promoter to
20 allow for expression therefrom in a mammalian cell. In a representative aspect thereof, the replaced encoding sequence codes for a portion of the Ad fiber, hexon or penton base proteins, or combinations thereof. Where a portion of a gene from a second adenovirus is used to construct a chimeric adenoviral vector, such sequence will have a length sufficient to confer a desired serotypic-specific virus-cell interaction to the
25 vector.

The present invention involves the recognition that adenoviral vectors that are either based substantially upon the genome of Ad serotypes classified in subgroup D, or that contain certain Ad-protein encoding polynucleotide sequences of subgroup D adenovirus, are particularly effective at binding to, and internalizing within, human

- 10 -

cells, such that therapeutic transgenes included in the adenoviral vector are efficiently expressed. This discovery is particularly surprising given that adenovirus serotypes of subgroup D are not clinically associated with human respiratory disease, and that, for example association with conjunctivitis is more typical. The recognition of this tropism is of particular relevance for the treatment by gene therapy of recognized disease states such as cystic fibrosis or α 1-antitrypsin deficiency. This discovery is particularly surprising given that adenovirus serotypes of subgroup D are not clinically associated with human respiratory disease, and that, for example association with conjunctivitis is more typical. The recognition of this tropism is of particular relevance for the treatment by gene therapy of recognized disease states such as cystic fibrosis or α 1-antitrypsin deficiency.

In a representative aspect of the invention, the adenoviral vectors further comprise nucleotide sequences coding for one or more transgenes and have enhanced tropism for airway epithelial cells. Preferably, the chimeric adenoviral vectors are replication-defective, a feature which contributes to the enhanced safety of adenoviral vectors administered to individuals.

Preferably, the second adenovirus is a member of subgroup D, and the replaced nucleotide sequence encodes a polypeptide selected from the group consisting of Ad fiber, a fragment of Ad fiber, Ad hexon, a fragment of Ad hexon, Ad penton base, and a fragment of Ad penton base. In a preferred embodiment, said second adenovirus is selected from the group consisting of serotypes Ad 9, Ad 15, Ad 17, Ad 19, Ad 20, Ad 22, Ad 26, Ad 27, Ad 28, Ad 30, and Ad 39. In a most preferred embodiment, the second adenovirus is Ad 17. In other preferred embodiments of the chimeric adenoviral vectors, the first adenovirus is selected from the group consisting of Ad 2, Ad 5, and Ad 12.

There is substantial evidence that any reported transforming properties of the E4 region of certain subgroup D serotypes do not extend to Ad serotypes whose use is preferred according to the practice of the present invention (see, for example, R. Javier

- 11 -

et al., Science, 257, 1992, pp. 1267-1271). It is expected also that, for example, individual ORFs of subgroup D E4 region, such as ORF1, could be deleted.

Additional aspects of the invention include methods to provide biologically active and/or therapeutic proteins to mammalian cells, including, but not limited to,

5 the airway epithelial cells of individuals, in order to provide phenotypic benefit. According to this aspect of the invention, chimeric adenoviral vectors are used in which a nucleotide sequence of a first adenovirus is replaced by the corresponding nucleotide sequence of a second adenovirus. Preferably, the second adenovirus is a member of subgroup D, and the replaced nucleotide sequence encodes a polypeptide

10 encoding all or part of Ad fiber, Ad hexon, or Ad penton base, or combinations thereof.

A still further representative aspect of the invention involves providing a biologically active and/or therapeutic protein in the airway epithelial cells of a patient by administering to said cells an adenoviral vector comprising elements of an Ad 17 genome, and a transgene encoding said protein that is operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell, under conditions whereby the transgene encoding said protein is expressed, and the desired phenotypic benefit is produced in said airway epithelial cells. According to the practice of the invention, it is preferred that an chimeric adenovirus vector utilized to deliver a

15 transgene to the respiratory epithelium (including that of the nasal airway, trachea, and bronchi and alveoli of the lung), or to other tissues of the body, comprise serotypes within subgroup D, as such classification is recognized in the art.

In order to construct the chimeric adenoviral vectors of the invention, reference may be made to the substantial body of literature on how such vectors may be

20 designed, constructed and propagated using techniques from molecular biology and microbiology that are well-known to the skilled artisan. Specific examples of adenoviral vector genomes which can be used as the backbone for a chimeric adenoviral vector of the invention include, for example, Ad2/CFTR-1 and Ad2/CFTR-2 and others described in U. S. Patent No. 5,670,488, issued September 23, 1997

- 12 -

- (incorporated herein by reference). Such vectors may include deletion of the E1 region, partial or complete deletion of the E4 region, and deletions within, for example, the E2 and E3 regions. Within the scope of the invention are, for example, chimeric vectors which contain an Ad 2 backbone with one or more Ad 17 capsid
- 5 proteins or fragments thereof in the virus. Other adenoviral vector genomic designs which can be used in the chimeric adenoviral vectors of the invention include those derived from allowed U.S. Patent Application Serial No. 08/409,874, filed March 24, 1995, and allowed U.S. Patent Application Serial No. 08/540,077, filed October 6, 1995 (both incorporated herein by reference).
- 10 To construct the recombinant chimeric adenoviral vectors of the invention which contain a transcription unit, the skilled artisan can use the standard techniques of molecular biology to engineer a transgene or a capsid protein into a backbone vector genome (Berkner, K.L., Curr. Top. Micro. Immunol. 158:39-66, 1992). For example, a plasmid containing a transgene and any operably linked regulatory
- 15 elements inserted into an adenovirus genomic fragment can be co-transfected with a linearized viral genome derived from an adenoviral vector of interest into a recipient cell under conditions whereby homologous recombination occurs between the genomic fragment and the virus. Preferably, a transgene is engineered into the site of an E1 deletion. As a result, the transgene is inserted into the adenoviral genome at the
- 20 site in which it was cloned into the plasmid, creating a recombinant adenoviral vector. The chimeric adenoviral vectors can also be constructed using standard ligation techniques, for example, removing a restriction fragment containing a fiber gene from a first adenovirus and ligating into that site a restriction fragment containing a fiber gene from a second adenovirus. A representative example of a chimeric adenoviral
- 25 vector of the invention is Ad2/βgal-2 fiber 17 (exemplified in Example 6).

Construction of the chimeric adenoviral vectors can be based on adenovirus DNA sequence information widely available in the field, e.g., nucleic acid sequence databases such as GenBank.

- 13 -

Preparation of replication-defective chimeric adenoviral vector stocks can be accomplished using cell lines that complement viral genes deleted from the vector, e.g., 293 or A549 cells containing the deleted adenovirus E1 genomic sequences. The use of HER3 cells (human embryonic retinoblasts transformed by Ad 12), as a
5 complementing cell line is of note. After amplification of plaques in suitable complementing cell lines, the viruses can be recovered by freeze-thawing and subsequently purified using cesium chloride centrifugation. Alternatively, virus purification can be performed using chromatographic techniques, e.g., as set forth in International Application No. PCT/US96/13872, filed August 30, 1996, incorporated
10 herein by reference.

Titers of replication-defective chimeric adenoviral vector stocks can be determined by plaque formation in a complementing cell line, e.g., 293 cells. End-point dilution using an antibody to the adenoviral hexon protein may be used to quantitate virus production or infection efficiency of target cells (Armentano et al.,
15 Hum. Gene Ther. 6:1343-1353, 1995, incorporated herein by reference).

Transgenes which can be delivered and expressed from a chimeric adenoviral vector of the invention include, but are not limited to, those encoding enzymes, blood derivatives, hormones, lymphokines such as the interleukins and interferons, coagulants, growth factors, neurotransmitters, tumor suppressors, apolipoproteins,
20 antigens, and antibodies, and other biologically active proteins. Specific transgenes which may be encoded by the chimeric adenoviral vectors of the invention include, but are not limited to, cystic fibrosis transmembrane regulator (CFTR), dystrophin, glucocerebrosidase, tumor necrosis factor, p53, p21, herpes simplex thymidine kinase and gancyclovir, retinoblastoma (Rb), and adenosine deaminase (ADA). Transgenes
25 encoding antisense molecules or ribozymes are also within the scope of the invention. The vectors may contain one or more transgenes under the control of one or more regulatory elements.

In addition to containing the DNA sequences encoding one or more transgenes, the chimeric adenoviral vectors of the invention may contain any

- 14 -

- expression control sequences such as a promoter or enhancer, a polyadenylation element, and any other regulatory elements that may be used to modulate or increase expression, all of which are operably linked in order to allow expression of the transgene. The use of any expression control sequences, or regulatory elements,
- 5 which facilitate expression of the transgene is within the scope of the invention. Such sequences or elements may be capable of generating tissue-specific expression or be susceptible to induction by exogenous agents or stimuli.

Infection of target cell by the chimeric adenoviral vectors of the invention may also be facilitated by the use of cationic molecules, such as cationic lipids as disclosed

10 in PCT Publication No. WO96/18372, published June 20, 1996, incorporated herein by reference.

Cationic amphiphiles have a chemical structure which encompasses both polar and non-polar domains so that the molecule can simultaneously facilitate entry across a lipid membrane with its non-polar domain while its cationic polar domain attaches

15 to a biologically useful molecule to be transported across the membrane.

Cationic amphiphiles which may be used to form complexes with the chimeric adenoviral vectors of the invention include, but are not limited to, cationic lipids, such as DOTMA (Felgner et al., Proc. Natl. Acad. Sci. USA 84:7413-7417, 1987) (N-[1-(2,3-dioletloxy)propyl]-N,N,N - trimethylammonium chloride); DOGS

20 (dioctadecylamidoglycylspermine) (Behr et al., Proc. Natl. Acad. Sci. USA 86:6982-6986, 1989); DMRIE (1,2-dimyristyloxypropyl-3-dimethyl-hydroxyethyl ammonium bromide) (Felgner et al., J. Biol. Chem. 269:2550-2561, 1994; and DC-chol (3B [N-N', N'-dimethylaminoethane] -carbamoyl] cholesterol) (U.S. Patent No. 5, 283,185 to Epand et al.). The use of other cationic amphiphiles recognized in the art or which

25 come to be discovered is within the scope of the invention.

In preferred embodiments of the invention, the cationic amphiphiles useful to complex with and facilitate transfer of the vectors of the invention are those lipids which are described in PCT Publication No. WO96/18372, published June 20, 1996, which is incorporated herein by reference. Preferred cationic amphiphiles described

- 15 -

- herein to be used in the delivery of the plasmids and/or viruses are GL-53, GL-67, GL-75, GL-87, GL-89, and GL-120, including protonated, partially protonated, and deprotonated forms thereof. Further embodiments include the use of non-T-shaped amphiphiles as described on pp. 22-23 of the aforementioned PCT application,
- 5 including protonated, partially protonated and deprotonated forms thereof. Most preferably, the cationic amphiphile which can be used to deliver the vectors of the invention is spermine cholesterol carbamate (GL-67).

In the formulation of compositions comprising the chimeric adenoviral vectors of the invention, one or more cationic amphiphiles may be formulated with neutral co-lipids such as dileoylphosphatidylethanolamine (DOPE) to facilitate delivery of the vectors into a cell. Other co-lipids which may be used in these complexes include, but are not limited to, diphytanoylphosphatidylethanolamine, lyso-phosphatidylethanolamines, other phosphatidylethanolamines, phosphatidylcholines, lyso-phosphatidylcholines and cholesterol. A preferred molar ratio of cationic amphiphile to colipid is 1:1. However, it is within the scope of the invention to vary this ratio, including also over a considerable range. In a preferred embodiment of the invention, the cationic amphiphile GL-67 and the neutral co-lipid DOPE are combined in a 1:2 molar ratio, respectively, before complexing with a chimeric adenoviral vector for delivery to a cell.

20 In the formulation of complexes containing a cationic amphiphile with a chimeric adenoviral vector, a preferred range of 10^7 - 10^{10} infectious units of virus may be combined with a range of 10^4 - 10^6 cationic amphiphile molecules/viral particle.

The infection efficiency of the chimeric adenoviral vectors of the invention 25 may be assayed by standard techniques to determine the infection of target cells. Such methods include, but are not limited to, plaque formation, end-point dilution using, for example, an antibody to the adenoviral hexon protein, and cell binding assays using radiolabelled virus. Improved infection efficiency may be characterized as an increase in infection of at least an order of magnitude with reference to a control virus. Where

- 16 -

a chimeric adenoviral vector encodes a marker or other transgene, relevant molecular assays to determine expression include the measurement of transgene mRNA, by, for example, Northern blot, S1 analysis or reverse transcription-polymerase chain reaction (RT-PCR). The presence of a protein encoded by a transgene may be detected by

- 5 Western blot, immunoprecipitation, immunocytochemistry, or other techniques known to those skilled in the art. Marker-specific assays can also be used, such as X-gal staining of cells infected with a chimeric adenoviral vector encoding β -galactosidase.

In order to determine transgene expression and infection efficiency *in vivo* using the constructs and compositions of the invention, animal models may be

- 10 particularly relevant in order to assess transgene persistence against a background of potential host immune response. Such a model may be chosen with reference to such parameters as ease of delivery, identity of transgene, relevant molecular assays, and assessment of clinical status. Where the transgene encodes a protein whose lack is associated with a particular disease state, an animal model which is representative of
15 the disease state may optimally be used in order to assess a specific phenotypic result and clinical improvement. However, it is also possible that particular chimeric adenoviral vectors of the invention display enhanced infection efficiency only in human model systems, e.g., using primary cell cultures, tissue explants, or permanent cell lines. In such circumstances where there is no animal model system available in
20 which to model the infection efficiency of a chimeric adenoviral vector with respect to human cells, reference to art-recognized human cell culture models will be most relevant and definitive.

- Relevant animals in which the chimeric adenoviral vectors may be assayed include, but are not limited to, mice, rats, monkeys, and rabbits. Suitable mouse strains in which the vectors may be tested include, but are not limited to, C3H, C57Bl/6 (wild-type and nude) and Balb/c (available from Taconic Farms, Germantown, New York).

Where it is desirable to assess the host immune response to vector administration, testing in immune-competent and immune-deficient animals may be

- 17 -

compared in order to define specific adverse responses generated by the immune system. The use of immune-deficient animals, e.g., nude mice, may be used to characterize vector performance and persistence of transgene expression, independent of an acquired host response.

- 5 In a particular embodiment where the transgene is the gene encoding cystic fibrosis transmembrane regulator protein (CFTR) which is administered to the respiratory epithelium of test animals, expression of CFTR may be assayed in the lungs of relevant animal models, for example, C57Bl/6 or Balb/c mice, cotton rats, or Rhesus monkeys. Molecular markers which may be used to determine expression
- 10 include the measurement of CFTR mRNA, by, for example, Northern blot, S1 analysis or RT-PCR. The presence of the CFTR protein may be detected by Western blot, immunoprecipitation, immunocytochemistry, or other techniques known to those skilled in the art. Such assays may also be used in tissue culture where cells deficient in a functional CFTR protein and into which the chimeric adenoviral vectors have
- 15 been introduced may be assessed to determine the presence of functional chloride ion channels - indicative of the presence of a functional CFTR molecule.

The chimeric adenoviral vectors of the invention have a number of in vivo and in vitro utilities. The vectors can be used to transfer a normal copy of a transgene encoding a biologically active protein to target cells in order to remedy a deficient or dysfunctional protein. The vectors can be used to transfer marked transgenes (e.g., containing nucleotide alterations) which allow for distinguishing expression levels of a transduced gene from the levels of an endogenous gene. The chimeric adenoviral vectors can also be used to define the mechanism of specific viral protein-cellular protein interactions that are mediated by specific virus surface protein sequences. The vectors can also be used to optimize infection efficiency of specific target cells by adenoviral vectors, for example, using a chimeric adenoviral vector containing Ad 17 fiber protein to infect human nasal polyp cells. Where it is desirable to use an adenoviral vector for gene transfer to cancer cells in an individual, a chimeric adenoviral vector can be chosen which selectively infects the specific type of target

- 18 -

cancer cell and avoids promiscuous infection. Where primary cells are isolated from a tumor in an individual requiring gene transfer, the cells may be tested against a panel of chimeric adenoviral vectors to select a vector with optimal infection efficiency for gene delivery. The vectors can further be used to transfer tumor antigens to dendritic 5 cells which can then be delivered to an individual to elicit an anti-tumor immune response. Chimeric adenoviral vectors can also be used to evade undesirable immune responses to particular adenovirus serotypes which compromise the gene transfer capability of adenoviral vectors.

The present invention is further directed to compositions containing the 10 chimeric adenoviral vectors of the invention which can be administered in an amount effective to deliver one or more desired transgenes to the cells of an individual in need of such molecules and cause expression of a transgene encoding a biologically active protein to achieve a specific phenotypic result. The cationic amphiphile-plasmid complexes or cationic amphiphile-virus complexes may be formulated into 15 compositions for administration to an individual in need of the delivery of the transgenes.

The compositions can include physiologically acceptable carriers, including any relevant solvents. As used herein, "physiologically acceptable carrier" includes any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, 20 isotonic and absorption delaying agents, and the like. Except insofar as any conventional media or agent is incompatible with the active ingredient, its use in the compositions is contemplated.

Routes of administration for the compositions containing the chimeric adenoviral vectors of the invention include conventional and physiologically acceptable routes such as direct delivery to a target organ or tissue, intranasal, intravenous, intramuscular, subcutaneous, intradermal, oral and other parenteral routes 25 of administration.

The invention is further directed to methods for using the compositions of the invention in vivo or ex vivo applications in which it is desirable to deliver one or more

- 19 -

transgenes into cells such that the transgene produces a biologically active protein for a normal biological or phenotypic effect. In vivo applications involve the direct administration of one or more chimeric adenoviral vectors formulated into a composition to the cells of an individual. Ex vivo applications involve the transfer of 5 a composition containing the chimeric adenoviral vectors directly to autologous cells which are maintained in vitro, followed by readministration of the transduced cells to a recipient.

Dosage of the chimeric adenoviral vector to be administered to an individual for expression of a transgene encoding a biologically active protein and to achieve a 10 specific phenotypic result is determined with reference to various parameters, including the condition to be treated, the age, weight and clinical status of the individual, and the particular molecular defect requiring the provision of a biologically active protein. The dosage is preferably chosen so that administration causes a specific phenotypic result, as measured by molecular assays or clinical markers. For 15 example, determination of the infection efficiency of a chimeric adenoviral vector containing the CFTR transgene which is administered to an individual can be performed by molecular assays including the measurement of CFTR mRNA, by, for example, Northern blot, S1 or RT-PCR analysis or the measurement of the CFTR protein as detected by Western blot, immunoprecipitation, immunocytochemistry, or 20 other techniques known to those skilled in the art. Relevant clinical studies which could be used to assess phenotypic results from delivery of the CFTR transgene include PFT assessment of lung function and radiological evaluation of the lung. Demonstration of the delivery of a transgene encoding CFTR can also be 25 demonstrated by detecting the presence of a functional chloride channel in cells of an individual with cystic fibrosis to whom the vector containing the transgene has been administered (Zabner et al., J. Clin. Invest. 97:1504-1511, 1996). Transgene expression in other disease states can be assayed analogously, using the specific clinical parameters most relevant to the condition.

- 20 -

Dosages of a chimeric adenoviral vector which are effective to provide expression of a transgene encoding a biologically active protein and achieve a specific phenotypic result range from approximately 10^8 infectious units (I.U.) to 10^{11} I.U. for humans.

5 It is especially advantageous to formulate parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit form as used herein refers to physically discrete units suited as unitary dosages for the subjects to be treated, each unit containing a predetermined quantity of active ingredient calculated to produce the specific phenotypic effect in association with the required
10 physiologically acceptable carrier. The specification for the novel dosage unit forms of the invention are dictated by and directly depend on the unique characteristics of the chimeric adenoviral vector and the limitations inherent in the art of compounding. The principal active ingredient (the chimeric adenoviral vector) is compounded for convenient and effective administration in effective amounts with the physiologically
15 acceptable carrier in dosage unit form as discussed above.

Maximum benefit and achievement of a specific phenotypic result from administration of the chimeric adenoviral vectors of the invention may require repeated administration. Such repeated administration may involve the use of the same chimeric adenoviral vector, or, alternatively, may involve the use of different
20 chimeric adenoviral vectors which are rotated in order to alter viral antigen expression and decrease host immune response.

The practice of the invention employs, unless otherwise indicated, conventional techniques of protein chemistry, molecular virology, microbiology, recombinant DNA technology, and pharmacology, which are within the skill of the
25 art. Such techniques are explained fully in the literature. See, e.g., Current Protocols in Molecular Biology, Ausubel et al., eds., John Wiley & Sons, Inc., New York, 1995, and Remington's Pharmaceutical Sciences, 17th ed., Mack Publishing Co., Easton, PA, 1985.

- 21 -

The invention is further illustrated by the following specific examples which are not intended in any way to limit the scope of the invention.

Examples

5

Example 1 Infection of NHBE cells by adenovirus serotypes of subgroup D

Normal human bronchial epithelial ("NHBE") cells were obtained from Clonetech (San Diego, CA), and plated on Costar (Cambridge, MA) Transwell-Clear polyester membranes that were pre-coated with human placental collagen. The wells 10 were placed in a cluster plate and cells were fed every day for one week by changing the medium in both the well and the plate. After one week the media was removed from the wells to create an air-liquid interface, and the cells were then fed only by changing the medium in the cluster plate, every other day for one week. Cells were infected at an moi of 1 by adding virus (see below) to the transwell, followed by an 15 incubation time of 1.5-2 hours. At the end of the incubation period, the medium was removed and the cells were gently rinsed with fresh medium. Thirty-six hours post-infection the cells were fixed with 1:1 acetone:methanol, permeabilized with a solution of 0.05% Tween 20 in PBS, and stained with FITC labeled anti-hexon antibody (Chemicon, Temecula, CA) to visualize cells that had been productively infected (i.e. 20 to visualize virus replication). Cells were also subjected to the DAPI staining procedure in order to visualize the total number of nuclei. The results could be readily determined upon simple inspection.

Wild type Ad serotypes within subgroup D that were tested included 9, 15, 17, 19, 20, 22, 26, 27, 28, 30, and 39 (all from the American Type Culture Collection, 25 Rockville, MD). An Ad 2 (obtained as DNA from BRL, Gaithersburg, MD, and used to transfect 293 cells in order to generate virus stock) was used as a control. Infection observed with all of the subgroup D serotypes was superior to that observed with Ad 2, with the best results being achieved with Ad 9, Ad 17, Ad 20, Ad 22, and Ad 30.

- 22 -

Additionally, it was determined that each of the above-mentioned serotypes of subgroup D was more effective in the NHBE cell assay under similar circumstances than any other serotype tested than belongs to a subgroup other than D. In this regard, the following serotypes were also tested: 31(subgroup A); 3(subgroup B); 7(subgroup 5 B); 7a(subgroup B); 14(subgroup B); 4(subgroup E); and 41(subgroup F). In a further experiment, serotype 35 (subgroup A) may have performed as well as the least effective members of subgroup D that were tested.

Example 2 Infection of clinical isolate bronchial epithelial cells

10 Following generally the procedures of Example 1, human bronchial epithelial cells recovered from healthy human volunteers were infected with either Ad 2 (as above, Ad 2 DNA was obtained from BRL, and this DNA was used to transfect 293 cells to generate virus) (Figure 1), or Ad 17 (from ATCC) (Figure 2), all at an moi of 50. Cells were left in contact with virus for 30 minutes, 3 hours, or 12 hours.

15 The increased tropism of Ad 17 for human bronchial epithelial cells, compared with Ad 2, is readily apparent upon inspection of Figures 1 and 2. In the Figures, the right hand columns (panels D, E, and F, stained in blue) show total numbers of cells present (from DAPI staining as above), whereas the left hand columns (panels A, B, and C, stained in green) quantify adenovirus hexon protein present in the infected cells 20 (from FITC-labeled anti-hexon antibody, as above). Panels A and D result from 30 minute incubation times, panels B and E result from 3 hour incubation times, and panels C and F result from 12 hour incubation times. As measured by the technique employed, infection of airway epithelia by Ad 17 is at least 50 fold greater than by Ad 2 for the thirty minute incubation time.

25

Example 3 Binding of Ad 2 and Ad 17 to human nasal polyp cell isolates

293 cells, a complementing cell line developed by Graham et al. (see Gen. Virol., 36, 1977, pp. 59-72), were infected with either wild type Ad 2 or wild type Ad 17. Five hours post-infection the media was removed and replaced with methionine

- 23 -

free media containing S^{35} metabolic label (Amersham). After an additional six hours, fresh media was added and the labeling was allowed to proceed for a total of 18 hours, after which the S^{35} media was removed and replaced with fresh media. Thirty hours post-infection the cells were harvested and lysed and the labeled Ad 2 or Ad 17 viruses were purified by CsCl gradient centrifugation. The recovered viruses were then used in an assay to determine their relative binding efficiency on human nasal polyp cells.

In order to perform the assay, ciliated human airway epithelial cells were recovered from nasal polyps of healthy volunteers. The results from two such isolates, NP-14 and NP-15, are reported here (see Figure 3). Radiolabeled virus was then incubated with the isolated cells in wells for specified times (5 or 30 minutes, see Figure 3). The cells were then rinsed and measured for radioactivity. Binding as reported in Figure 3 indicates the percent of input radioactivity that is cell associated. It was determined that for both cell isolate populations, using either 5 or 30 minute incubations, cell associated radioactivity was 10-fold enhanced if Ad 17 rather than Ad 2 was used.

Example 4 Fiber competition

A549 cells (a human lung carcinoma line, obtained from the American Type Culture Collection as ATCC CCL-185) were plated at 3×10^4 cells per well in 96-well dishes. Since the number of receptor sites for adenovirus fiber on the cell surface has been estimated to be approximately 10^5 receptors per cell, the receptors in the plated cells were saturated, in this example, with $0.1\mu g$ of purified full length Ad 2 fiber protein (obtained from Paul Freimuth, Brookhaven National Laboratory, Upton, NY), which corresponds to approximately 100 molecules of fiber per receptor. Cells were incubated with Ad 2 fiber in PBS for two hours at $37^\circ C$.

- 24 -

The cells were subsequently infected at an moi of 1 (using either Ad 2 provided as above, or wild type Ad 17) for one hour, after which the cells were rinsed, and fresh medium was added. Control cultures were incubated with PBS with no added protein for two hours and then subsequently infected as described above. Forty 5 hours post-infection the cells were fixed with 1:1 acetone:methanol, permeabilized with 0.05% Tween 20 in PBS and stained with FITC labeled anti- Ad 2 hexon antibody, as described in Example 1. As determined by this assay, the number of cells infected (stained) with Ad 2 was reduced by approximately 90% in cultures that were pre-incubated with Ad 2 fiber as compared to control cultures. However, no effect on 10 Ad 17 infection was observed by the pre-incubation of A549 cells with full length Ad 2 fiber.

Example 5 Use of Ad 2 fiber knob in a binding competition
experiment with Ad 2

15 Further competition experiments were performed with Ad 2 and Ad 17 fiber knobs that had been expressed and purified from E. coli. DNA sequences encoding both protein fragments were designed so that the fiber knobs expressed therefrom would contain histidine tags in order to permit nickel- column purification. The yield 20 of soluble fiber knob trimer, purified by the Ni-NTA method (Qiagen, Chatsworth, CA), was ~25 μ g/50ml culture. A significant portion of the total knob protein expressed appeared to remain in a monomeric (and insoluble) form. The soluble trimeric material obtained was used for a preliminary competition experiment. Wild type Ad 2 and Ad 17 were used to infect A549 cells, or cells that had been pre- 25 incubated with excess (about 100 molecules of trimer per receptor) Ad 2 fiber knob or Ad 17 fiber knob. The results indicated that Ad 2 fiber knob, but not Ad 17 knob, could block Ad 2 infection. Additionally, Ad 17 infection was not blocked by E. coli-expressed fiber knobs of either serotype, suggesting that the mechanism of Ad 2 and Ad 17 infections is different.

- 25 -

Example 6 Construction of the chimeric vector Ad2/βgal-2/fiber Ad 17

The vector Ad2/βgal-2 was constructed as follows. A CMV§gal expression cassette was constructed in a pBR322-based plasmid that contained Ad 2 nucleotides 1-10,680 from which nucleotides 357-3328 were deleted. The deleted sequences were replaced with (reading from 5' to 3'): a cytomegalovirus immediate early promoter (obtained from pRC/CMV, Invitrogen), lacZ gene encoding §-galactosidase with a nuclear localization signal, and an SV40 polyadenylation signal (nucleotides 2533-2729). The resulting plasmid was used to generate Ad2/βgal-2 by recombination with Ad2E4ORF6 (D. Armentano et al., Human Gene Therapy , 6, 1995, pp 1343 -1353).

A chimeric Ad2/βgal-2/fiber Ad 17 viral vector (Figure 4) was then contructed as follows. pAdORF6 (D. Armentano et al., Human Gene Therapy , 6, 1995, pp 1343 -1353 was cut with Nde and BamHI to remove Ad 2 fiber coding and polyadenylation signal sequences (nucleotides 20624-32815). An NdeI-BamHI fragment containing Ad 17 fiber coding sequence (nucleotides 30984-32095) was generated by PCR and ligated along with an SV40 polyadenylation signal into NdeI-BamHI cut pAdORF6 to generate pAdORF6fiber17. This plasmid was cut with PacI and then ligated to PacI-cut Ad2/βgal-2 DNA to generate Ad2/βgal-2fiber 17. Any desired transgene may be substituted in this construct for the reporter gene.

A similar construct can be prepared using a DNA sequence that encodes Ad 17 penton base instead of Ad 17 fiber. Alternatively, only a subregion of the penton base of Ad 2 need be subject to replacement, such as by inserting into the vector a nucleotide encoding sequence corresponding to any amino acid subsequence of Ad 17 penton base amino acids 283-348 (see the marked sequence in Figure 5A) in replacement for any subsequence of Ad 2 penton base amino acids 290-403. Preferably, the replaced sequence of Ad 2 and the inserted sequence of Ad 17 includes the RGD domain of each. Use of nucleotide sequence corresponding to penton base amino acid sequence for other subgroup D serotypes is also within the

- 26 -

practice of the invention. It is also within the scope of the invention to replace a subregion of the fiber protein in the Ad 2 vector with a subregion from another adenovirus serotype, for example, Ad 17.

5 Example 7 Ad2/βgal-2f17 shows increased infection efficiency on human airway explants

Both human and monkey trachea explants, about 1 cm², were placed on top of an agar support. Each explant was infected at an moi of 200 of either Ad2/βgal-2 or Ad2/βgal-2f17 assuming a cell density of 1 x 10⁶ per cm² of explant. Explants were 10 exposed to virus for three hours and were then rinsed with NHBE media. Two days post-infection explants were stained with X-gal and infection efficiency was assessed. On the monkey explants Ad2/βgal-2 gave rise to a higher infection efficiency than Ad2/βgal-2f17. Patches of stained cells were detected in explants exposed to Ad2/βgal-2 but very few cells stained in explants exposed to Ad2/βgal-2f17. A 15 different result was obtained on human trachea explants. On these explants Ad2/βgal-2f17 infection gave rise to a much higher infection efficiency than Ad2/βgal-2 infection. Approximately 5-10% of the cells in explants exposed to Ad2/βgal-2f17 stained with X-gal whereas very few cells were stained in explants exposed to Ad2/βgal-2. No background staining was observed in either monkey or human 20 explants that were not exposed to virus.

The results indicate that the exchange of Ad 2 fiber for Ad 17 fiber in Ad2/βgal-2f17 was sufficient to significantly increase infection efficiency of human tracheal airway cells by an adenovirus type 2 based vector.

25 Example 8 Adenovirus subgroup screening on human cancer cell lines

Identification of adenovirus subgroup that best infects a particular tumor type may be useful in designing vectors to optimally target cancer cells in vivo. In order to determine the adenovirus subgroup that best infects a particular type of cancer cell, cancer cells were seeded into a 96 well plate and infected with and moi of 5. Infection

- 27 -

efficiency was determined by staining of infected cells using an anti-hexon antibody. The adenovirus subgroups were represented by the following serotypes: A: Ad 31; B: Ad 3; C: Ad 2; D: Ad 17; E: Ad 4; and F: Ad 41.

Subgroup D (Ad 17) has a significantly higher infection rate of the colon
5 cancer cell line CaCo-2 than other cell types, with an infection rate of 70%, while Ad
2 only infected 20% of the cells (Figure 9).

Subgroup D (Ad 17) was effective in infecting ovarian cancer cell line SK-OV3. Infection was measured at 90% (Figure 10).

10 Sequence Listing

Included herewith on the following pages are informal copies of SEQ ID NO:
1 through SEQ ID NO: 3.

- 28 -

1 CATCATCAAT AATATACCCCC ACAAAAGTAAA CAAAAGTTAA TATGCAAATG AGGTTTTAAA
 61 TTTAGGGCGG GGCTACTGCT GATTGGCCGA GAAACGTTGA TGCAAATGAC GTCACGACGC
 121 ACGGCTAACG GTGCCCGCGG AGGCGTGCC TAGCCCGGA GCAAGTCGCG GGGCTGATGA
 181 CGTATAAAAA AGCGGACTTT AAACCCGAA ACGGCCGATT TTCCCGCGGC CACGCCCGGA
 241 TATGAGGTAA TTCTGGCGG ATGCAAGTGA AATTAGGTCA TTTTGGCGCG AAAACTGAAT
 301 GAGGAAGTGA AAAGTGAAAA ATACCGGTCC CGCCCGAGGC GGAATATTAA CCGAGGGCCG
 361 AGAGACTTTG ACCGATTACG TGTGGGTTTC GATTGCGGTG TTTTTTCGCG AATTTCGCG
 421 TCCGTGCTAA AGTCCGGTGT TTATGTCACA GATCAGCTGA TCCACAGGGT ATTIAAACCA
 481 GTCGAGCCCG TCAAGAGGCC ACTCTTGAGT GCCAGCGAGT AGAGATTCT CTGAGCTCCG
 541 CTCAGAGT GTGAGAAAAA TGAGACACCT GCGCCTCCTG CCTGGAACGT TGCCCTTGA
 601 CATGGCCGCA TTATGCTGG ATGACTTGT GAGTACAGTA TTGGAGGATG AACTGCAACC
 661 AACTCCGTTG GAGCTGGGAC CCACACTTCA GGACCTCTAT GATTTGGAGG TAGATGCCA
 721 GGAGGACGAC CGGAACGAAG ATGCTGTGAA TTTAATATTAA CCAGAATCTC TGATTCTCA
 781 GGCTGACATA GCCAGCGAAG CTCTACCTAC TCCACTTCAT ACTCCAACTC TGTCACCCAT
 841 ACCTGAATTG GAAGAGGAGG ACGAGTTAGA CCTCCGGTGT TATGAGGAAG GTTTCCCTCC
 901 CAGCGATTCA GAGGACGAAC AGGGTGAGCA GAGCATGGCT CTAATCTCAG ACTATGCTTG
 961 TGTGGTTGTG GAAGAGCATT TTGTGTTGGA CAATCCTGAG GTGCCCGGGC AAGGCTGTAA
 1021 ATCCTGCCAG TACCAACGGG ATAAGACCCG AGACACGAAC GCCTCCTGTG CTCTGTGTTA
 1081 CATGAAAAAG AACTCAGCT TTATTTACAG TAAGTGGAGT GAATGTGAGA GAGGCTGAGT
 1141 GCTTAAGACA TAACTGGGTG ATGCTTCAC AGCTGTGCTA AGTGTGGTTT ATTTGTTTC
 1201 TAGGTCCGGT GTCAGAGGAT GGTCACTCACC CTCAGAAGAA GACCACCCGT GTCCCCCTGA
 1261 TCTGTCAGGC GAAACGCCCC TGCAAGTGCAG CAGACCCACC CCAGTCAGAC CCAGTGGCGA
 1321 GAGGCAGAGCA GCTGTTGAAA AAATTGAGGA CTTGTTACAT GACATGGGTG GGGATGAACC
 1381 TTTGGACCTG AGCTTGAAAC GTCCCAGGAA ACTAGGCAGCA GCTGCGCTTA GTCATGTGTA
 1441 AATAAAAGTTG TACAATAAAA ATTATATGTG ACGCATGCAA GGTGTGGTTT ATGACTCATG
 1501 GGCGGGCTT AGTTCTATAT AAGTGGCAAC ACCTGGCAC TGGAGCACAG ACCTTCAGGG
 1561 AGTTCCGTAT GGATGTGTGG ACTATCCCTG CAGACTTTAG CAAGACACGC CGGCTTGTAG
 1621 AGGATAGTTC AGACGGGTGC TCCGGTTCT GGAGACACTG GTTTGGAACT CCTCTATCTC
 1681 GCCTGGTGTA CACAGTTAAA AAGGATTATA ACGAGGAATT TGAAAATCTT TTTGCTGATT
 1741 GCTCTGGCCT GCTAGATTCT CTGAATCTCG GCCACCCAGTC CCTTTTCCAG GAAAGGGTAC
 1801 TCCACAGCCT TGATTTTCC AGCCCAGGGC GCACTACAGC CGGGGTTGCT TTTGTTGTTT
 1861 TTCTGGTTGA CAAATGGAGC CAGAACACCC AACTGAGCAG GGGCTACATT CTGGACTTCG
 1921 CAGCCATGCA CCTGTGGAGG GCATGGGTCA GGCAGGGGG ACAGAGAAC TTGAACACT
 1981 GGCTTCTACA GCCAGCAGCT CCGGGTCTTC TTCGTCCTACA CAGACAAACA TCCATGTTGG
 2041 AGGAAGAAAT GAGGCAGGCC ATGGACGAGA ACCCGAGGAG CGGTCTGGAC CCTCCGTCGG
 2101 AAGAGGAGTT GGATTGAATC AGGTATCCAG CCTGTACCCA GAGCTTAGCA AGGTGCTGAC
 2161 ATCCATGGCC AGGGGAGTGA AGAGGGAGAG GAGCGATGGG GGCAATACCG GGATGATGAC
 2221 CGAGCTGACG GCCAGTCTGA TGAATCGCAA GCGCCAGAG CGCCTTACCT GGTACGAGCT
 2281 ACAGCAGGAG TGCAGGGATG AGTTGGCCT GATGCAGGAT AAATATGGCC TGGAGCAGAT
 2341 AAAAACCCAT TGGTTGAACC CAGATGAGGA TTGGGAGGAG CCTATTAAAGA AGTATGCCAA
 2401 GATAGCCCTG CGCCCAGATT GCAAGTACAT AGTGAACCAAG ACCGTGAATA TCAGACATGC
 2461 TGCTACATCT CGGGGAACGG GGCAGAGGTG GTCATTGATA CCCTGGACAA GGCCGCTTT
 2521 AGGTGTTGCA TGATGGGAAT GAGAGCCGA GTGATGAATA TGAATTCCAT GATCTTTATG
 2581 AACATGAAGT TCAATGGAGA GAAGTTTAAT GGGGTGCTGT TCATGGCCAA CAGCCACATG
 2641 ACCCTGCATG GCTGCGACTT TTTGGCTTT AACAAATATGT GCGCAGAGGT CTGGGGCGCT
 2701 TCCAAGATCA GGGGATGTAA GTTTTATGGC TGCTGGATGG CGCTGGTCCC AAGACCAAG
 2761 AGCGAGATGT CTGTGAAGCA GTGTGTTT GAGAAATGCT ACCTGGGAGT CTCTACCGAG
 2821 GGCAATGCTA GAGTGAGGCA CTGCTCTTCC CTGGAGACGG GCTGCTTCTG CCTGGTGAAG
 2881 GGCACAGCCT CTCTGAAGCA TAATATGGTG AAGGGCTGCA CGGATGAGCG CATGTACAAC
 2941 ATGCTGACTG CGACTCGGGG GTCTGTCATA TCCTGAAGAA CATCCATGTG ACCTCCCACC
 3001 CCAGAAAGAA GTGCCAGTG TTTGAGAATA ACATGCTGAT CAAGTGCCAC ATGCACCTGG
 3061 GCGCCAGAAG GGGCACCTTC CAGCCGTACG AGTGAACCT TAGCCAGACC AAGCTGCTGT
 3121 TGGAGAACGA TGCCTCTCC AGGGTGAAAC TGAACGGCAT CTTTGACATG GATGCTCGG
 3181 TGTACAAGAT CCTGAGATAC GATGAGACCA AGTCAGGGT GCGCGCTTGC GAGTGGGGGG
 3241 GCAGACACAC CAGGATGCGAG CCAGTGGCCC TGGATGTGAC CGAGGAGCTG AGACCAGACC
 3301 ACCTGGTGAT GGCTGTACC GGGACCGAGT TCAGCTCCAG TGGGGAGGAC ACAGATTAGA
 3361 GGTAGGTTTG AGTAGTGGGC GTGGCTAAGG TGACTATAAA GGCGGGTGTGTC TTACGAGGGT

- 29 -

3421 CTTTTTGCCTT TTCTGCAGAC ATCATGAAAG GGACCGGGCGG GGCCTTCGAA GGGGGGCTTT
 3481 TTAGCCCTTA TTTGACAACC CGCCCTGCCAG GATGGGCCGG AGTTCGTCAG AATGTGATGG
 3541 GATCGACGGT GGACGGGCGC CCAGTGCTTC CAGCAAATTG CTCGACCATG ACCTACCGA
 3601 CCCGTGGGAA CTCGTCGCTT GACAGCACCG CCGCAGCCGC GGCAGCCGCA GCCGCCATGA
 3661 CAGCGACGAG ACTGGCCTCG AGCTACATGC CCAGCAGCAG CAGTAGCCCC TCTGTGCCA
 3721 GTTCCATCAT CGCCGAGGAG AACTGCTGGC CCTGCTGGCC GAGCTGGAAG CCCTGAGCCG
 3781 CCAGCTGGCC GCCCCTGACCC AGCAGGTGTC CGAGCTCCGC GAACAGCAGC AGCAAAATAA
 3841 ATGATTCAAT AAACACATAT TCTGATTCAA ACAGCAAAGC ATCTTTATTA TTTATTTTT
 3901 CGCGCGCGGT AGGCCCTGGT CCACCTCTCC CGATCATTGA GAGTGCAGGTG GATTTTTCC
 3961 AAGACCCGGT AGAGGTGGGA TTGGATGTTG AGGTACATGG GCATGAGCCC GTCCCCGGGG
 4021 TGGAGGTAGC ACCACTGCAT GGCCTCGTGC TCTGGGTGCG TGTGTTAGAT GATCCAGTCA
 4081 TAGCAGGGGC GCTGGGCGTG GTGCTGGATG ATGTCCTTGA GGAGGGAGACT GATGGCCACG
 4141 GGGAGCCCTT TGGTGTAGGT GTTGGCAAAG CGGTTGAGCT GGGAGGGATG CATGGGGGGG
 4201 GAGATGATGT GCAGTTGGC CTGGATCTTG AGGTTGGCGA TGTTGCCACC CAGATCCCAC
 4261 CGGGGGTTCA TGTGTCAG GACCACCAAG ACGGTGTAGC CGTGCACCTT GGGGAACCTTA
 4321 TCATGCACT TGGAAAGGGAA TGCCTGAAAG AATTGGAGA CGCCCTTGTG CCCGCCAGG
 4381 TTTTCCATGC ACTCATCCAT GATGATGGCG ATGGGCCCGT GGGCTGCCGG TTTGGCAAAG
 4441 ACGTTCTGG GGTCAAGAGAC ATCATAATTG TGCTCCTGGG TGAGATCATC ATAAGACATT
 4501 TTAATGAATT TTGGCGGGAG GGTGCCAGAT TGGGGGACGA TGGTTTCCCT CGGGCCCCGG
 4561 GGCAGGTTT CCCTCGCAGA TCTGCATCTC CCAGGCTTTC ATCTCGGAGG GGGGGATCAT
 4621 GTCCACCTGC GGGCGATGA AAAAACCGGT TTCCCCGGCG GGGGTGATGA GCTGCCAGGA
 4681 GAGCAGGTTT CTCAACAGCT GGGACTTGGC GCACCCGGTC GGGCGTAGA TGACCCCGAT
 4741 GACGGGTTGC AGGTGGTAGT TCAAGGACAT GCAGCTGCCG TCGTCCCAGA GGAGGGGGC
 4801 CACCTCGTTG AGCATGTCCTC TAACTTGGAG GTTTTCCCGG ACGAGCTCGC CGAGGAGGCG
 4861 GTCCCCGCCA AGCGAGAGGA GCTCTTGCAAG GGAAGCAAAG TTTTTCAGGG GCTTGAGTCC
 4921 GTCGGCCATG GGCATCTTGG CGAGGGTCTG CGAGAGGAGT TCGAGACGTC CCAGAGCTCG
 4981 GTGACGTGCT CTACGGCATIC TCGATCCAGC AGACTTCCCTC GTTTCGGGGG TTGGGACGAC
 5041 TGCGACTGTA GGGCACGAGA CGATGGCGT CCAGCGCGC CAGCGTCATG TCCTTCCAGG
 5101 GTCTCAGGGT CCGCGTGAGG GTGGTCTCCG TCACGGTGAA GGGGTGGGCC CCTGGCTGGG
 5161 CGCTTGCAAG GGTGCGCTTG AGACTCATCC TGCTGGTGCT GAAACGGGCA CGGTCTTCGC
 5221 CCTGCGCGTC GGGAGATAG CAGTTGACCA TGAGCTCGTA GTTGGGGGCC TCGGCGCGT
 5281 GGCCCTTGGC GCGGAGCTTG CCCTTGGAG AGCGTCCGC GGCAGGACAG AGGAGGGATT
 5341 GCAGGGCGTA GAGCTTGGGC GCAAGAAAAGA CCGACTCGGG AGCAAAAGCG TCCGCTCCGC
 5401 AGTGGGCGCA GACGGTCTCG CACTCGACCA GCCAGGTGAG CTGGGGCTGC TCGGGGTCAA
 5461 AAACCAAGTT TCCCCCGTTC TTTTTGATGC GCTTCTTACCG TCGCGTCTCC ATGAGCTGT
 5521 GTCCCGCGTC GGTGACAAAC AGGCTGTCCG TGTCCTCGTA GACGGACTTG ATTGGCCTGT
 5581 CCTGCAGGGG CGTCCCGCGG TCCTCCTCGT AGAGAAAATC GGACCAACTCT GAGACAAAGG
 5641 CGCGCGTCCA CGCCAAGAGCA AAGGAGGCCA CGTGCAGGG GTAGCGGTGCG TTGTCCACCA
 5701 GGGGGTCCAC CTTTCTCACC GTGTCAGAC ACATGCCCC TTCTCTCGCA TCCAAGAAGG
 5761 TGATTGGCTT GTAGGTGTAG GCCACGTGAC CAGGGTCCC CGACGGGGGG GTATAAAAGG
 5821 GGGCGGGTCT GTGCTCGTCC TCACCTCTT CCAGCGTCGCT GTCCACGAGC GCCAGCTGTT
 5881 GGGGTAGGTA TTCCCTCTCG AGAGCGGGCA TGACCTCGGC ACTCAGGTTG TCAGTTCTA
 5941 GAAACGAGGA GGATTTGATG TTGGCTTGGC CTGCCGAAT GCTTTTTAGG AGACTTTCAT
 6001 CCATCTGTC AGAAAAGACT AAAAAAAT TGTCAAGCTT GGTGGCAAAG GAGCCATAGA
 6061 GGGCGTTGGA GAGAGCTTG GCGATGGATC TCATGGTCTG ATTTTTGTC CGGTGCCGC
 6121 GCTCCTTGGC CGCGATGTTG AGCTGGACAT ATTCCGGCGC GACACACTTC CATTGGGAA
 6181 AGACGGTGGT GCGCTCGTCG GGCACGATCC TGACGGCCA GCCGCGGTTA TGCAGGGTGA
 6241 CCAGGTCCAC GCTGGTGGCC ACCTCGCCGC GCAGGGGCTC GTTACGTCAG CAGAGTCTGC
 6301 CGCCCTTGGC CGAGCAGAAC GGGGGCAGCA CATCAAGCAG ATGCTCGTCA GGGGGGTCCG
 6361 CATCGATGGT GAAGATGCCG GGACAGAGTT TCTTGTCAAA ATAGTCTATT TTTGAGGATG
 6421 CATCATCCAA GGCCATCTGC CACTCGCGG CGGCCATTGC TCGCTCGTAG GGGTTGAGGG
 6481 GCGGACCCCA CGGCATGGGA TGCGTGAGGG CGGAGGGCTA CATGCCGAA ATGTCGTAAA
 6541 CATAGATGGG CTCCGAGAAC ATGCCGATGT TGGTGGGATA ACAGCGCCCC CGCGGATGC
 6601 TGGCGCGCAC GTATTCAAC AACTCGTGGC AGGGGCCAAG AAGGCCGGGG CGAAATTGG
 6661 TGGCGCTGGGG CTGCTCGGCC CGGAAAACAA TCTGGCAAA GATGGCGTGC GAGTTGGAGG
 6721 AGATGGTGGG CGCGTGGAAAG ATGTTAAAGT GGGCGTGGGG CAAGCGGACC GAGTCGCCGA
 6781 TGAAGTGCAC CGAGGAGTCT TGCAGCTTGG CGACGAACTC GGCGGTGACG AGAACGTCCA

- 30 -

6841 TGGCGCAGTA GTCCAGCGTT TCGCGGATGA TGTCAATAACC CGCCCTCTCCC TTCTTCTCCC
 6901 ACAGCTCGCG GTTGAGGGCG TATTCTCGT CATCCTTCCA GTACTCCCCG AGCGGGAATC
 6961 CTCGATCGTC CGCACGGTAA GAGCCCAGCA TGTAGAAATG GTTCACGGGC TTGTAGGGAC
 7021 AGCAGCCCTT CTCCACGGGG AGGGCGTAAG CTTGTGCGGC CTTGCGGAGC GAGGTGTGCG
 7081 TCAGGGCGAA GGTGCTCCGT ACCATGACTT TCAAGAACTG GTACTTGAAA TCCGAGTCGT
 7141 CGCAGCCGCC GTGCTCCCAT AGCTCGAAAT CGGTGCGCTT CTTCGAGAGG GGGTTAGGCA
 7201 GAGCGAAAGT GACGTCTTG AAGAGAATCT TGCCCTGCTCG CGGCATGAAA TTGCGGGTGA
 7261 TGCAGGAAAGG GCCCGGGACG GAGGCTCGGT TGTGATGAC CTGGCGGCC AGGACGATCT
 7321 CGTCGAAGCC GTTGATGTTG TGCCCGACGA TGTAGAGTTC CATGAATCGC GGGCGGCCCTT
 7381 TGATGTGCGG CAGCTTTTG AGCTCTCGT AGGTGAGGTC CTCGGGGCAT TGCAGGCCGT
 7441 GCTGCTCGAG CGCCCATTCC TGGAGATGTC GGTTGGCTTG CATGAAGGAA GCCCAGAGCT
 7501 CGCGGGCCAT GAGGGTCTGG AGCTCGTCG GAAAGAGGCC GAACTGCTGG CCCACGGCCA
 7561 TCTTTTCGGG TGTGACGCAG TAGAAGGTGA GGGGGTCCCG CTCCCAGCGA TCCCAGCGTA
 7621 AGCGCGCCGC TAGATCGCGA GCAAGGGCGA CCAGCTCTGG GTCCCCCGAG AATTTCATGA
 7681 CCAGCATGAA GGGGACGAGC TGCTTGCCGA AGGACCCAT CCAGGTGTAG GTTTCTACAT
 7741 CGTAGGTGAC AAAAGAGGCC TCCGTGCGAG GATGAGAGCC GATTTGGGAAG AACTGGATTT
 7801 CCTGCCACCA GTTGGACGAG TGGCTGTTGA TGTGATGAAA GTAGAAATCC CGCCGGCGAA
 7861 CCGAGCACTC GTGCTGATGC TTGTAAGAAC GTCCCGAGTA CTGCAGCGC TGCACGGGCT
 7921 GTACCTCATC CACGAGATAC ACAGCGCGTC CCTTGAGGGAG GAACTTCAGG AGTGGCGGCC
 7981 CTGGCTGGTG GTTTCTATGT TCGCCTGCGT GGGACTCACC CTGGGGCTCC TCGAGGACGG
 8041 AGAGGCTGAC GAGCCCGCGC GGGAGGCCAGG TCCAGATCTC GGCGCGGCCGG GGGCGGAGAG
 8101 CGAAGACGAG GGCGCGCAGT TGGGAGCTGT CCATGGTGTC GCGGAGATCC AGGTCCGGGG
 8161 GCAGGGTTCT GAGGTTGACC TCGTAGAGGC GGGTGAAGG GGTGTTGAGA TGCAGATGGT
 8221 ACTTGATTC TACGGGTGAG TTGGTGGCCG TGTCCACGCA TTGCATGAGC CCGTAGCTGC
 8281 GCGGGGCCAC GACCGTGCGC CGGTGCGCTT TTAGAAGCGG TGTCGCGGAC GCGCTCCCGG
 8341 CGGCAGCGGC GGTTCGGGCC CGCGGGCAG GGGCGGCAGA GGCACGTCGG CGTGGCGCTC
 8401 GGGCAGGTCC CGGTGTTGCG CCCTGAGAGC GCTGGCGTGC GCGACGACGC GGCAGGTGAC
 8461 ATCCCTGGATC TGCCGCTCT CGGTGCGCTT TTAGAAGCGG TGTCGCGGAC GCGCTCCCGG
 8521 CAGTTCAACA GAATCAATCT AGGCATCTC GGACATGAAC TGCTCGATCT CCTCCTCTG
 8581 GTCGCCCGAG TTGTCCTGGT AGGCATCTC GGACATGAAC TGCTCGATCT CCTCCTCTG
 8641 GAGATCGCCG CGACCCCGCGC GCTCCACGGT GGCAGGAGG TCATTCGAGA TGCAGACCCAT
 8701 GAGCTGCGAG AAGGCGCCCA GGCGCTCTC GTTCCAGACG CGGCTGTAGA CCACGTCCCC
 8761 GTCGGCGTCG CGCCGCGCGA TGACCACCTG CGCGAGGTTG AGCTCCACGT GCGCGCGA
 8821 GACGGCGTAG TTGCGCAGGC GCTGGAAGAG GTAGTTGAGG GTGGTGGCGA TGTGCTCGGT
 8881 GACGAAGAAG TACATGATCC AGCGGCGCAG GGGCATCTCG CTGATGTCGC CGATGCCCTC
 8941 CAGCCTTCC ATGGCTCGT AGAAATCCAC GGCGAAGTTG AAAAACTGGG CGTTGCGGCC
 9001 CGAGACCGTG AGCTCGTCTT CCAGGAGCCT GATGAGCTCG GCGATGGTGG CGCGCACCTC
 9061 GCGCTCGAAA TCCCCGGGG CCTCGTCTC TTCCCTCTCT TCCATGACAA CCTCTCTAT
 9121 TTCTTCTCT GGGGGCGGTG GTGGTGGCGG GGGCCGACGA CGACGGGGAC GCACCGGGAG
 9181 ACGGTCGACG AAGCGCTCGA TCATCTCCCC GCGCGGCCGA CGCATGGTTT CGGTGACGGC
 9241 GCGACCCCGT TCGCGAGGAC GCAGCGTGAA GACGCCGCCG GTCATCTCCC GGTAATGGGG
 9301 CGGGTCCCCG TTGGGCAGCG AGAGGGCGCT GACGATGCAT CTTATCAATT GCGGTGTAGG
 9361 GGACGTGAGC GCGTCGAGAT CGACCGGATC GGAGAATCTT TCGAGGAAAG CGTCTAGCCA
 9421 ATCGCAGTCG CAAGGTAAGC TCAAAACAGT AGCAGCCCTG TGGACGCTGT TAGAATTGCG
 9481 GTTGCTTAATG ATGTAATTGA AGTAGGCGTT TTGAGGGCGG CGGATGGTGG CGAGGAGGAC
 9541 CAGGTCTCTG GGTCCCGCTT GCTGGATGCG GAGCCGCTCG GCCATGCCCG AGGCCTGGCC
 9601 CTGACACCGG CTTAGGTTCT TGTAGTAGTC ATGCATGAGC CTCTCGATGT CATCACTGGC
 9661 GGAGGCGGAG TCTTCCATGC GGGTGACCCC GACGCCCTG AGCGGCTGCA CGAGGCCAG
 9721 GTCGGCGACG ACCGGCTCGG CGAGGATGGC CTGTTGCACG CGGGTGAGGG TGTCTGGAA
 9781 GTCGTCCATG TCGACGAAGC GGTGGTAGGC CCCTGTGTTG ATGGTGTAAAG TGCAGTTGGC
 9841 CATGAGCGAC CAGTTGACGG TCTGCAGGCC GGGCTGCACG ACCTCGGAGT ACCTGAGCCG
 9901 CGAGAAGCGC CGCGAGTCGA AGACGTAGTC GTTGAGGCTG CGCACAAAGGT ACTGGTATCC
 9961 GACTAGGAAG TCGGGCGGCC GCTGGCGGTGAG GAGCGGCCAG CGCTGGGTGG CGGGCGCGCC
 10021 CGGGGCCAGG TCCTCGAGCA TGAGGCAGGTG GTAGCCGTAG AGGTAGCGGG ACATCCAGGT
 10081 GATGCCGGCA CGGGTGGTGG AGGCAGCGGG GAACTCGCGG ACGCGGTTCC AGATGTTGCG
 10141 CAGCGGCAGG AAATAGTCCA TGGTCGGCAC GGTCTGGCCG GTGAGACGCG CGCAGTCATT
 10201 GACGCTCTAG AGGAAAAAAC GAAAGCGGTT GAGCGGGCTC TTCCCTCCGTA GCCTGGCGGA

- 31 -

10261 ACGCAAACGG GTTAGGCCGC CGGTGTACCC CGGTTCGAGT CCCCTCGAAT CAGGCTGGAG
 10321 CCGCGACTAA CGTGGTATTG GCACTCCCGT CTCGACCCGA GCCCCGATAGC CGCCAGGATA
 10381 CGCGGGAAAGA GCCCTTTTG CGGGCCGARG GGAGTCGCTA GACTTGAAAG CGGGCGAAAA
 10441 CCCCCGCCGG TAGTGGCTCG CGCCCGTAGT CTGGAGAACG ATCGCCAGGG TTGAGTCGCG
 10501 GCAGAACCCG GTTCGCGGAC GGCGCGGGCG AGCAGGGACTT GGTACCCCCG CGGATTTAAA
 10561 GACCCACAGC CAGCCGACTT CTCCAGTTAC GGGAGCGAGC CCCCTTTTT CTPTTGTCCA
 10621 GATGCATCCC GTCCCTGCGCC AAATGCGTCC CACCCCCCG GCGACCACCG CGACCGCGGC
 10681 CGTAGCAGGC GCGGGCGCTA GCCAGCCACA GCCACAGACA GAGATGGACT TGGAAAGAGGG
 10741 CGAAGGGCTG CGAGACTGG GGGCGCCTTC CCCGGAGCGA CACCCCCGGG TGCAGCTGCA
 10801 GAAGGACGTG CGCCCGGGCT ACAGTGCCTGC GCAAAACCTG TTCAGGGACC GCAGGGGAA
 10861 GGAGCCCCGAG GAGATGCGCG ACTGCCGGTT TCGGGCGGGC AGGGAGCTGC GCGAGGGCCT
 10921 GGACCGCCAG CGCGTGTCTGC GCGACGAGGA TTTCGAGCCG AACGAGCAGA CGGGGATCAG
 10981 CCCCCGCGC GCGCACGTGG CGGGGGCCAA CCTGGTACG GCCTACGAGC AGACGGTGAA
 11041 GCAGGAGCGC AACTTCCAAA AGAGTTCAA CAACCATGTG CGCACCCCTGA TCGCGCGCGA
 11101 GGAGGTGGCC CTGGGCTGTA TGACACCTGTG GGACCTGGCG GAGGCCATCG TGCAGAACCC
 11161 GGACAGCAAG CCTCTGACGG CGCAGCTGTT CCTGGTGGTA CAGCACAGCA GGACAAACGA
 11221 GGCCTTCAGG GAGGCGCTGC TAAACATCGC CGAGCCCCGAG GTGCGCTGGC TGCTGGAGCT
 11281 GATCAACATC TTGCAAGAGCA TCAGTGTCA GGAGCCGAGC CTGAGCTTGG CCGAGAAAGGT
 11341 GGCAGCAATC AACTACTCGG TGCTTAGCCT GGGCAAGTTT TACGCGCGCA AGATTACAA
 11401 GACGCCGTAC GTGCCCATAG ACAAGGAGGT AAAGATAGAC AGCTTTTACA TGCAGCTGGC
 11461 GCTCAAGGTG CTGACGCTGA GCGACGACCT GGGCGTGTAC CGCAACGACC GCATCCACAA
 11521 GGCGTGAGC GCGAGCCGGC GGCGCGAGCT GAGGCCAGC GAGCTGATGC TGAGCTGCG
 11581 CCGGGCGCTG GTAGGGGGCG CCGCCGGCGG CGAGGAGTCY TACTTCGACA TGGGGCGGA
 11641 CCTGCATTGG CAGCCGAGCC GGCGCGCCTT GGAGGCCGCC TAGGGTCCAG AGGACTTGG
 11701 TGAGGAAGAG GAAGAGGAGG AGGATGCACC CGCTGCGGGG TACTGACGCC TCCGTGATGT
 11761 GTTTTTAGAT GCAGCAAGCC CGGGACCCCG CCATAAGGGC GGCGCTGCAA AGCCAGCCGT
 11821 CCGGTCTAGC ATCGGACGAC TGGGAGGCTG CGATGCAACG CATCATGGCC CTGACGACCC
 11881 GCAACCCGA GTCCCTTAGA CAACAGCCGC AGGCCAACAG ACTCTCGGCC ATTCTGGAGG
 11941 CGGTGGTCCC TTCTCGGACC AACCCCCACGC ACGAGAAAGGT GCTGGCGATC GTAACCGCGC
 12001 TGGCGGAGAA CAAGGCCATC CGTCCCAGC AGGCCGGGCT AGTGTACAA GCCCTGCTGG
 12061 AGCGCGTAGG CCGCTACAAC AGCACAAACG TGCAGTCCAA CCTGGACCGG CTGGTACCG
 12121 ACGTGCGCGA AGCCGTGGCG CAGCGCGAGC GTTCAAGAA CGAGGGCCTG GGCTCCCTGG
 12181 TGGCGCTGAA CGCCCTCCCTG GCGACGCGAGC CGGCGAACGT GCGCGCGGGG CAGGATGATT
 12241 ACACCAACTT TATCAGCGCG CTGCGGCTGA TGGTGAACCGA GGTGCCCCAG AGCGAGGTGT
 12301 ACCAGTCGGG CCCCCACTAC TTTTCCAAA CTAGCAGACA GGGCTGCAA ACGGTGAACC
 12361 TGAGCCAGGC TTTCAGAAC CTGCGGGGC TGTGGGGCGT GCAGGCCGCC GTGGCGACC
 12421 GGTCGACGGT GAGCAGCTTG CTGACGCCA ACTCGGGCT GCTGCTGCTG CTGATCGCGC
 12481 CCTTCACCGA CAGTGGCAGC GTAAACCGCA ACTCGTACCT GGGTCACCTG CTAACGCTGT
 12541 ACCGCGAGGC CATAGGCCAG GCGCAGGTGG ACGACAGAC CTTCCAGGAG ATCACTAGCG
 12601 TGAGCCGCGC GCTGGGGCAG AACGACACCG ACAGTCTGAG GGCCACCCCTG AACTCTTGC
 12661 TGACCAATAG ACAGCAGAAC ATCCCGCGC AGTACGCGCT GTCGGCCGAG GAGGAGCGCA
 12721 TCCTGAGATA TGTGCAGCAG AGCGTAGGGC TTTTCTGTAT GCAGGAGGGG GCCACTCCCA
 12781 GCGCCCGCCT GGACATGACC GCGCGCAACA TGGAACTAG CATGTACGCC GCCAACCGGC
 12841 CGTTTATCAA TAAGCTAATG GACTACCTGC ATCGCGCGGC GTCCATGAAC TCGGACTACT
 12901 TTACCAATGC CATTTCGAAC CGCACTGGC TTCCCGCCGCC GGGGTTCTAT ACGGGGCGAGT
 12961 ACGACATGCC CGACCCCCAAC GACGGGTTT TGTGGGACGA CGTGGACAGC GCGGTGTTTT
 13021 CACCGACCTT GCAAAAGCGC CAGGAGGCC CGCGCACGCC CGCGAGCGAG GGCGCGCTGG
 13081 GTCGGAGCCC CTTCTCTAGC TTAGGGAGTT TGCATAGCTT GCGGGGCTCT GTGAACAGCG
 13141 GCAGGGTGGAG CGGGCCGCGC TTGCTGGGGC AGGACGAGTA CCTGAACGAC TCGCTGCTGC
 13201 AGCCGCCGCG GGTCAAGAAC GCCATGGCCA ATAACGGGAT AGAGAGTCTG GTGGACAAAC
 13261 TGAACCGCTG GAAGACCTAC GCTCAGGACC ATAGGGAGCC TGCACCCGCG CGCGGGCGAC
 13321 AGCGCCACGA CGGGCAGCGG GGCCTGGTGT GGGACGACGA GGACTCGGCC GACGATAGCA
 13381 GCGTGTGGAG CTTGGGGGGG AGCGGTGGGG TCAACCGAT ATCGCGCATC CTGCAAGCCCA
 13441 AACTGGGGCG ACGGATGTTT TGAATGAAA ATAAAACCTCA CCAAGGCCAT AGCGTGCCTT
 13501 CTCTCCCTTG TTAGAGATGA GGCCTGGCGT GGTGCTTCC TCTCCTCCTC CCTCGTACGA
 13561 GAGCGTGATG GCGCAGGCAG CCCTGGAGGT TCCGTTTGTG CCTCCGCGGT ATATGGCTCC
 13621 TACGGAGGGC AGAAACAGCA TTCTGTTACTC GGAGCTGGCT CGCTGTACCG ACACCACTCG

13681 CGTGTACTTG GTGGACAACA AGTCGGCGGA CATCGCTTCC CTGAACATATC AAAACGACCA
 13741 CAGCAACTTC CTGACCACGG TGGTGCAGAA CAACGATTTG ACCCCCCGCCG AGGCTAGCAC
 13801 GCAGACGATA AATTGGACG AGCGGTCGCG GTGGGGCGGT GATCTGAAGA CCATTCTGCA
 13861 CACCAACATG CCCAATGTGA ACGAGTACAT GTTCACCAGC AAGTTTAAGG CGCGGGTGAT
 13921 GGTGGCTAGA AAACACCCAC AGGGGGTAGA AGCAACAGAT TTAAGCAAGG ATATCTTAGA
 13981 GTATGAGTGG TTTGAGTTA CCCTGCCCCG GGGCAACTTT TCCGAGACCA TGACCATAGA
 14041 CCTGATGAAC AACGCCATCT TGGAAAACTA CTTGCAAGTG GGGCGGCAAATGGCGT
 14101 GGAGAGCGAT ATTGGAGTCA AGTTGACAG CAGAAATTTC AACCTGGGCT GGGACCCGT
 14161 GACCAAGCTG GTGATGCCAG GGGTCTACAC CTACGAGGCC TTTCACCCGG ACGTGGTGCT
 14221 GCTGCCGGC TGCGGGGTGG ACTTCACAGA GAGCCGCCTG AGCAACCTCC TGGGCATTG
 14281 CAAGAAGCAA CCTTTCCAAG AGGGCTTCAG AATCATGTAT GAGGATCTAG AAGGGGGCAA
 14341 CATCCCCGCC CTGCTGGATG TGCCCAAGTA CTTGAAAGC AAGAAGAAGT TAGAGGAGGC
 14401 ATTTGGAGAAT GCTGCTAAAG CTAATGGTCC TGCAAGAGGA GACAGTAGCG TCTCAAGAGA
 14461 GGTTGAAAAG GCAGCTGAAA AAGAACTTGT TATTGAGCCC ATCAAGCAAG ATGATACCAA
 14521 GAGAAGTTAC AACCTCATCG AGGGAACCAT GGACACGCTG TACCGCAGCT GGTACCTGTC
 14581 CTATACCTAC CGGGACCCCTG AGAACGGGGT GCAGTCGTGG ACGCTGCTCA CCACCCCGA
 14641 CGTCACCTGC GGCGCGGAGC AAGTCTACTG GTCGCTGCCG GACCTCATGC AAGACCCGT
 14701 CACCTTCCGT TCTACCCAGC AAGTCAGCAA CTACCCCGTG GTCGCGCCCG AGCTCATGCC
 14761 CTTCCGCGCC AAGAGCTTT ACAACGACCT CGCCGCTCTAC TCCCAGCTCA TCCGCAAGCTA
 14821 CACCTCCCTC ACCCACGTCT TCAACCGCTT CCCCACAAAC CAGATCCCTCT GCCGTCCGCC
 14881 CGCGCCCAACC ATCACCAACCG TCAGTGAAA CGTGCTGCT CTCACAGATC ACGGGACGCT
 14941 ACCGCTGCGC AGCAGTATCC GCGGAGTCCA GCGAGTGACC GTCACTGAGG CCCGTGCCG
 15001 CACCTGTCCC TACGTCTPACA AGGCCCTGGG CATAGTCGTGG CGCGTGTGCT TTTCCAGTCG
 15061 CACCTTCTAA AAAATGTCTA TTCTCATCTC GCCCAGCAAT AACACCGGCT GGGGTATTAC
 15121 TAGGCCCAAGC AGCATGTACG GAGGAGCCAA GAAACGCTCC AGCAGCACCC CGTCCCGGTC
 15181 CGCGGCCACT TCCCGCCTCC GTGGGGCGCT TACAAGCGCG GGGGACTG CACCGCCGCC
 15241 GCCGTGCGCA CCACCGTCA CGACGTCTAC GACTCGGTGG TCGCCGACGC GCGCAACTAT
 15301 ACTCCCGCC CTTCGACCGT GGACGCGGTT CATTGACAGC GTGGTGGCGA CGCGGGCGCG
 15361 ATATGCCAGA CGCAAGAGCC GGCGGGCGA CGGATCGCCCG AGGCGCCATT CGGAGCACGC
 15421 CGGCCATGGG GCGCCGCCCG AGCTCTGCTG CGCCGCGCCA GACGCACGGG CGGCCGGGCC
 15481 ATGATGCGAG CGCGCGCCCG CGCCGCCACT GCACCCCCCG CAGGCAGGAC TCGCAGACGA
 15541 CGGGCCGCCG CGCCGCCCGC GGCCATCTCT AGCATGACCA GACCCAGGG CGGAAACGTG
 15601 TACTGGGTGC GCGACTCCGT CACGGGCGTG CGCGTGCCTCG TGCGCACCC CGTCCCTCGT
 15661 CCCTGATCTA ATGCTTGTGT CCTCCCCCGC AAGCGACGAT GTCAAAGCGC ATCTACAAGA
 15721 GAGATGCTCC AGGTCGTGCG CCCGGAGATT TACGGACACAC CCCAGGCGGA CCAGAAACCC
 15781 CGCAAAATCA AGCGGGTTAA AAAAAAGGAT GAGGTGGACG AGGGGGCAGT AGAGTTGTG
 15841 CGCGAGTTCG CTCCCGGGCG GCGCGTAAAT TGGAAAGGGC GCAAGGTGCAC GCGTGTGCG
 15901 GCCCCGCCAG GCGGTGGGTGT TCACGCCCCG CGAGCGGTCC TCGGTCAAGA GCAAGCGTAG
 15961 CTATGACCGAG GTGTACGGCG ACGACGACAT CCTGGACCAAG CGGGCAGAGC GGGCGGGCGA
 16021 GTTGTGCTAC GGGAGCGGT CGCGCGAAGA GGAGCTGATC TCGCTGCCG TGACGAGAG
 16081 CAATCCCACG CCGAGCCTGA AGCCCGTGAC CTGCAGCAGG TGCTGCCCA GGCGGTGCCTG
 16141 CTGCCGAGCC GCGGGATCAA GCGCGAGGGC GAGAACATGT ACCCGACCAT GCAGATCATG
 16201 GTGCCCAAGC GCCGGCGCGT CGAGGAAGTG CTGGACACCG TGGAAATGGA TGTGGAGGCC
 16261 GAGGTCAAGG TGCGCCCAT CAAGCAGGTG CGCGGGGGC TGGCGTGCA GACCGTGGAC
 16321 ATTCAAGATCC CCACCGACAT GGATGTCGAC AAAAAACCT CGACCGACAT CGAGGTGCAG
 16381 ACCGACCCCT GGCTCCCGAGC CTCCACCGCT ACCGCTTCCA CTTCTACCGT CGCCACGGTC
 16441 ACCGACCCCTC CCAGGAGGCC AAGATGGGGC CCCGCCAACCG GCGTGTGCC CAACTACGTG
 16501 TTGCATCCTT CCATTATCCC GACGCCGGGC TACCGGGCGA CCCGGTACTA CGCCAGCCGC
 16561 AGGCGCCCAAG CCAGCAAACG CGCGCGCCGC ACCGCCACCC GCGCCCGTCT GCCCCCGCC
 16621 CGCGTGCCTC GCGTAACCAA CGCGCCGGGG CGCGTGCCTC GTTCTGCCCA CGCGTGCCTA
 16681 CCACCCAGC ATCCTTTAAT CGCTGTGCTG TGATACTGTT GCAAGAGAGAT GGCTCTCACT
 16741 TGCGCCCTGC GCATCCCCGT TCGAATTAC CGAGGAAGAT CCCGCCGCAG GAGAGGCATG
 16801 GCAGGCAGCG GCCTGAACCG CGCGCGCCGG CGGGCCATGC GCAAGGCCT GAGTGGCGGC
 16861 TTTCTGCCCG CGCTCATCCC CATAATCGCG CGGGCCATCG GCAACGATCCC GGGCATAGCT
 16921 TCCGTTGCGC TGCAGGGCGTC GCAGCGCGT TGATGTCGA ATAAAGCTC TTTAGACTCT
 16981 GACACACCTG GTCCGTATA TTTTAAAGAAT GGAAGACATC AATTTTGCGT CCCTGGCTCC
 17041 CGGGCACCGC ACGCGGCCGT TCATGGCAC CTGGAACGAG ATCGGCACCA GCCAGCTGAA

- 33 -

17101 CGGGGGCGCC TTCAATTGGA GCAGTGTCTG GAGCAGGGCTT AAAAATTCG GCTCGACGCT
 17161 CCGGACCTAT GGGAAACAAGG CCTGGAATAG TAGCACGGGG CAGTTGTTGA GGGAAAAGCT
 17221 CAAAGACCAG AACTTCCAGC AGAAGGTGGT GGACGGCCTG GCCTCGGGCA TTAACGGGGT
 17281 GGTGGACATC CGGAACCAGG CAGTGCAGCC CGAGATAAAC AGCCGTCTGG ACCCGGGCC
 17341 GCCCACGGTG GTGGAGATGG AAGATGCAAC TCTTCCGCCG CCGAAGGGCG AGAAGGGCC
 17401 GCGGCCAGAT CGGGAGGAGA CGATCCTGCA GGTGGACGAG CGGCCCTCGT ACGAGGAGG
 17461 CGTGAAGGCC GGCATGCCA CCACGCGCAT CATCGCGCCA CTGGCCACGG GTGTAATGAA
 17521 ACCCGCCACC CTTGACCTGC CTCCACCACC CACGCCGCT CCACCGAAGG CAGCTCCGGT
 17581 TGTGCAGCCC CCTCCGGTGG CGACCGCCGT GCGCCGCGTC CCCGCCCGCC GCCAGGCCA
 17641 GAACTGGCAG AGCACGCTGC ACAGTATTGT GGGCTGGGA GTGAAAAGTC TGAAGGCCG
 17701 CCGATGCTAT TGAGAGAGAG GAAGGAGGAC ACTAAAGGGA GAGCTTAAC TGTATGTGCC
 17761 TTACCGCCAG AGAACGCCG AAGATGCCA CCCCCCTCGAT GATGCCGCAAG TGGCGTACA
 17821 TGACATCGC CGGGCAGGAC GCCTCGGAGT ACCTGAGCCC GGGTCTGGTG CAGTTGCC
 17881 GCGCCACCGA CACGTACTTC AGCCTGGGCA ACAAGTTAG GAACCCCCACG GTGGCCCGA
 17941 CCCACGATGT GACCACGGAC CGGTCCCAGC GTCTGACGCT GCGCTTTGTG CCCGTGGATC
 18001 GCGAGGACAC CAGTACTCGT ACAAGGCCG CTTCACTCTG GCCGTGGGCG ACAACGGGT
 18061 GCTAGACATG GCCAGCACGT ACTTTGACAT CGCGCGCGTC CTGGACCGCG GTCCCAGTT
 18121 CAAACCCCTAC TCGGGCACGG CTTACAACAG CCTTGCCCCC AAGGGCGCTC CCAATCCCAG
 18181 TCAGTGGGTT GCCAAAGAAA ATGGTCAGGG AACTGATAAG ACACATACTT ATGGCTCAGC
 18241 TGCCATGGGA GGAAGCAACA TCACCATTGA AGGTTAGTA ATTGGAACTG ATGAAAAGC
 18301 TGAGGATGGC AAAAAAGATA TTTTGCAAA TAAACTTTAT CAGCCAGAAC CTCAGTAGG
 18361 TGAAGAAAAC TGGCAAGAGT CTGAAGCCTT CTATGGAGGC AGAGCTCTTA AGAAAGACAC
 18421 AAAAAATGAAG CCCTGCTATG GCTCATTTGC AAGACCTACC AATGAAAAG GCGGACAAGC
 18481 TAAATTTAAG CCAGTGGAAAG AGGGGCAGCA ACCTAAAGAT TATGACATAG ATTTGGCTTT
 18541 CTTTGACACA CCTGGAGGCA CCATCACAGG AGGCACAGAC GAAGAATATA AAGCAGACAT
 18601 TGTGTTGTAC ACTGAAAATG TCAACCTTGA AACCCCAGAC ACCCACGTGG TATACAAGCC
 18661 AGGAAAAGAG GATGACAGTT CAGAAGTAAA TTTGACACAG CAGTCCATGC CCAACAGGCC
 18721 TAACTACATT GGCTTCAGAG ACAACTTTGT GGGACTCATG TACTACAACA GTACTGGCAA
 18781 CATGGGTGTG CTGGCTGGTC AGGCCTCTCA ATTGAATGCT GTGGTCGACT TGCAAGACAG
 18841 AAACACCGAG CTGTCCTTAC AGCTCTTGCT AGATTCTCTG GGTGACAGAA CCAGATACTT
 18901 CAGCATGTGG AACTCTGCAG TGGATAGCTA TGATCCAGAT GTCAGGATCA TTGAAAATCA
 18961 TGGTGTGGAA GATGAACCTTC CAAACTATTG CTTCCCATTG AATGGCACTG GCACCAATT
 19021 AACATATCTT GGCGTAAAGG TGAAACCAGA TCAAGATGGT GATGTTGAAA GCGAGTGGGA
 19081 TAAAGATGAT ACCATTGCAA GGCAGAAC AATGCCAAG GGCACACGTCT TTGCCATGG
 19141 GATCAACCTC CAGGCCAAC TGTGGAAGAG TTTTCTGTAC TCGAACGTGG CCTTGTACCT
 19201 GCCCACCTC TACAAGTACA CGCCGGCCAA TGTACGCTG CCCGCCAAC CCAACACCTA
 19261 CGAGTACATG AACGGCCGCG TGGTAGCCCC CTCGCTGGTG GACGCTTACA TCAACATAGG
 19321 CGCCCGATGG TCGCTGGACC CCATGGACAA CGTCAACCCCC TTCAACCACC ACCGCAATGC
 19381 GGGCCTGGCC TACCGCTCCA TGCTTCTGGG CAACGGCCGC TACGTGCCCT TCCACATCCA
 19441 AGTGGCCCAA AAGTCTTTG CCATCAAGAA CCTGCTCCTG CTCCCGGGCT CCTACACCTA
 19501 CGAGTGGAAAC TTCCCGCAAGG ATGTCAACAT GATCCTGCG AGTTCCTCTCG GCAACGACCT
 19561 GCGCGTCGAC GGCGCCTCCG TCCGCTTCGA CAGCGTCAAC CTCTACGCCA CCTTCTTCCC
 19621 CATGGCGCAC AACACCGCCT CCACCCCTGG AGCCATGCTG CGCAACGACA CCAACGACCA
 19681 GTCCCTCAAC GACTACCTCT CGGCCGCCAA CATGCTCTAC CCCATCCCCG CCAAGGCCAC
 19741 CAACGTGCC ATCTCCATCC CCTCGCGCAA CTGGGGCGCT TTTCGCGGCT GGAGTTTCAC
 19801 CCGTCTGAAA ACCAAGGAAA CTCCCTCCCT CGGCTCGGGT TTTGACCCCT ACTTTGTCTA
 19861 CTCGGCTCG ATCCCCTACC TTGACGGACC CTTTACCTT AACCACACCT TCAAGAAAGT
 19921 CTCCATCATG TTCGACTCCT CGGTCACTG GCCCGCAAC GACCGGCTGC TCACGCCGA
 19981 CGAGTTCGAG ATCAAGCGCA GCGTCGACGG GGAAGGCTAC AACGTGGCCC AATGCAACAT
 20041 GACCAAGGAC TGGTCTCG TCCAGATGCT CTCCCACTAC AACATCGGCT ACCAGGGCTT
 20101 CCACGTGCC GAGGGCTACA AGGACCGCAT GTACTCCTTC TTCCGCAACT TCCAGCCCAT
 20161 GAGCAGGCAG GTGGTCGATG AGATCAACTA CAAGGACTAC AAGGCCGTCA CCCTGCCCTT
 20221 CCAGCACAAAC AACTCGGGCT TCACCGGCTA CCTTGACCC ACCATGCGCC AAGGGCAGCC
 20281 CTACCCCGCC AACTTCCCT ACCCGCTCAT CGGCCAGACA GCCGTGCCAT CGTCACCCA
 20341 GAAAAGTCTC CTCTCGACCA GGGTCATGTG GCGCATCCCC TTCTCCAGCA ACTTCATGTC
 20401 CATGGCGCC TTCAACCGACCA TGGGTCAAGAA CATGTTCTAC GCCAACTCGG CCCACGCC
 20461 CGACATGACC TTGAGGGTGG ACCCCATGGA TGAGCCCACC GTCCCTATC TTCTCTCGA

- 34 -

20521 AGTGTTCGAC GTGGTCAGAG TGCACCAGCC GCACCGCGC GTCATCGAGG CCGTCTACCT
 20581 GCGCACGCCG TTCTCCGCCG GAAACGCCAC CACCTAAGCA TGAGCGGCTC CAGCGAAAGA
 20641 GAGCTCGCGT CCATCGTGC CGACCTGGC TGCGGGCTA CTTTTTGGGC ACCCACGACA
 20701 CAGCGATTCC CGGGCTTCT TGCCGGCGAC AAGCTGGCCT GCGCATTGT CAACACGGCC
 20761 GGCGCGAGA CGGGAGGCGT GCACTGGCTC GCCTTCGGCT GGAACCCGCG CTCGCGCACC
 20821 TGCTACATGT TCGAACCCCT TGGGTTCTCG GACCGCCGGC TCAAGCAGAT TTACAGCTTC
 20881 GAGTACGAGG CCATGCTGC CGGAAGCGCC GTGGCCTCTT CGCCCGACCG CTGTCTCAGC
 20941 CTCGAACAGT CCACCCAGAC CGTGCAGGGG CCCGACTCCG CGGCCTGCGG ACTTTTCTGT
 21001 TGCATGTCT TGCATGCCCT CGTGCACTGG CCCGACCGAC CCATGGACGG GAACCCCACC
 21061 ATGAACTTGC TGACGGGGGT GCCCAACGGC ATGCTACAAT CGCCACAGGT GCTGCCACC
 21121 CTCAGGCCA ACCAGGAGGA GCTCTATCGC TTCCCTGCCG GCCACTCCCC TTACTTCGC
 21181 TCCCCACCGC CGGCCATCGA ACACGCCACC GCTTTTGACA AAATGAAACA ACTGCGTGT
 21241 TCTCAATAAA CAGCACTTTT ATTTTACATG CACTGGAGTA TATGCAAGTT ATTTAAAAGT
 21301 CGAAGGGGTT CTCGCGCTCA TCGTTGTGCG CGCGCTGGG GAGGGCCACG TTGCGGTACT
 21361 GGTACTGGG CTGCCACTTG AACTCGGGGA TCACCAGTT GGGCACTGGG GTCTCGGGGA
 21421 AGGTCTCGCT CCACATACGC CGGCTCATCT GCAGGGCGCC CAGCATGTCC GGGCGGGATA
 21481 TCTTGAAATC GCAGTTGGGA CGGCTGCTCT GCGCGCGCGA GTTGCCTGAC ACGGGGTTGC
 21541 AGCACTGAA CACCATCAGA CTGGGGTACT TTACGCTGGC CAGCACGCTC TTGCGCTGA
 21601 TCTGATCCTT GTCCAGATCC TCGGCGTTGC TCACGCCGA TGGGGTCATC TTGACAGTT
 21661 GGCAGCCAG GAATGGCAGC CTCTGAGGCT TGTGGTTACA CTCGCAGTGC ACAGGGCATCA
 21721 GCATCATCCC CGCGCCGCCG TGCAATTCTG GGTAGAGGCC TTGACAAAGG CGTGATCTG
 21781 CTTGAAAGCT TGTGGGCCT TGGCCCCCTC GCTGAAAAAC AGGCCGCAGC TCTTCCCGCT
 21841 GAACTGGTTA TTCCCGCACC CGGCATCTG CACGCAGCAG CGCGCGTCAT GGCTGGTCAG
 21901 TTGCACCAACG CTTCTTCCCC AGCGGTTCTG GGTCACCTTG GCTTTGCTGG GTTGCTCCTT
 21961 CAACGCGCG TGCCCGTTCT CGCTGGTCAC ATCCATCTCC ACCACGTGGT CCTTGTGGAT
 22021 CATCACCGTT CCATGCAGAC ACTTGAGCTG GCCTTCCACC TCGGTGCAGC CGTGATCCCA
 22081 CAGGGCACTG CGGCTGCACT CCCAGTTCTT GTGCGCGATC CGCTGTGGC TGAAGATGTA
 22141 ACCTTGCAAG AGGCAGCCA TGATGGTGCT AAAGCTCTT TGGGTGGTGA AGGTTAGTTG
 22201 CAGACCGCG GCCTCTCGT TCATCCAGGT CTGGCACATC TTTTGGAAAGA TCTCGGTCTG
 22261 CTCGGGCATG AGTTGTAAG CATCGCGCAG GCGCTGTGCG ACGCGGTAAC GTTCCATCAG
 22321 CACGTTCATG GTATCCATGC CCTTTTCCCA GGACGAGACC AGAGGCAGAC TCAGGGGTT
 22381 GCGCACGTT AGGACACCGG GGGTCKCGG CTCGACGATA CGTTTTCCGT CCTTGCCTTC
 22441 CTTCAACAGA ACCGGAGGCT GGCTGAATCC CACTCCCACA ATCACGGCAT CTTCCCTGGGG
 22501 CATCTCTTCG TCGGGGTCTA CCTTGTTCA ATGCTGGTC TTTCTGGCTT GCTTCTTTT
 22561 TGGAGGGCTG TCCACGGGG CCACGTCCTC TCGGAAGACC CGAGGCCAC CCGCTGATAC
 22621 TTTCGGCGCT TGGTGGGCAG AGGAGGTGGC GGCGCGCAGG GGCTCCTCTC GTGCTCCGGC
 22681 GGATAGCGCG CGCACCCGTG GCCCCGGGGC GGAGTGGCCT CTCGCTCCAT GAACCGGC
 22741 ACGTCTGACT GCCGCCGGCC ATTGTTCTT AGGGGAAGAT GGAGGAGCAG CGCGTAAGC*
 22801 AGGAGCAGGA GGAGGACTTA ACCACCCACG AGCAACCCAA ATCGAGCAG GACCTGGCT
 22861 TCGAAGAGCC GGCTCGTCTA GAACCCACA GGATGAACAG GAGCACGAG AAGACGCAGG
 22921 CCAGGAGGAG ACCGACGCTG GGCTCGAGCA TGGCTACCTG GGAGGAGAGG AGGATGTGCT
 22981 GCTGAAACAC CTGCAGCGCC AGTCCCTCAT CCTCCGGAC GCCCTGGCCG ACCGGAGCAG
 23041 AACCCCCCTC AGCGTCGAGG AGCTGTGTCG GGCCTACGAG CTCACCTCT TCTCGCCCG
 23101 CGTCCCCCCC AAACGCCAGC CCAACGGCAC CTGCAGGCC AACCCCGCTC TCAACTCTA
 23161 TCCCGTCTT GCGGTCCCCG AGGCCCTTGC CACCTATCAC ATCTTTTCA AGAACCAAAA
 23221 GATCCCCGTC TCCCGCCCGC CCAACCGCAC CGCGCCGAC GCGCTCCTCG CTCTGGGGCC
 23281 CGCGCGCGC ATACCTGATA TTGCTTCCCT GGAAGAGTGC CCAAAATCTT CGAAGGGCTC
 23341 GGTGGGAC AGACCGCGC GGCAGAACGC TCTGAAAGAA ACAGCAGAGG AAGAGGGTCA
 23401 CACTAGGCC CTGGTAGAGT TGGAGGGCA AACGCCAGG CTGGCCGTGC TCAAGGGCAG
 23461 CGTTGAGCTC ACCCACTTCG CCTACCCCGC CGTCAACCTC CGGCCCAAGG TCATGCGTCG
 23521 CATCATGGAT CAGCTAATCA TGCCCCACAT CGAGGCCCTC GATGAAAGTC AGGAGCAGCG
 23581 CCCCCGAGGAC ACCCGGCCCG TGTCAGCGA TGAGCAGCTT GCGCGCTGGC TTGGTACCCG
 23641 CGACCCCCAG GCCCTGGAGC AGCGGCCAA GCTCATGCTG GCCGTGGTCC TGGTCACCCCT
 23701 CGAGCTCGAA TGCATGCGAC GCTTTTCAAG CGACCCCGAG ACCTGCGCAA GGTGAGGAG
 23761 ACCTGCACTA CACTTTAGC ACCTTTCGTC AGGCAGGCAT GCAAGATCTC CAACGTGGAG
 23821 CTGACCAACT GGTCTCCTGC CTGGGAATCC TGCACGAGAA CGGCCCTGGGG CAGACAGTGC
 23881 TCCACTCGAC CCTGAAGGGC GAGGCGCGC GGGACTATGT CGCGACTGCG GTCTTCTCT

- 35 -

23941 TTCTCTGCCA CACATGGCAA GCTGCCATGG GCGTGTGGCA GCAGTGTCTC GAGGACGAGA
 24001 ACCTGAAGGA GCTGGACAAG CTTCTTGCTA GAAACCTCAA AAAGCTGTGG ACGGGCTTTG
 24061 ACGAGCGCAC CGTCGCCCTCG GACCTGGCCG AGATCGCCT CCCCGAGCG CCTGAGGCAG
 24121 ACGCTGAAAG CGGGGCTGCC CGACTTCATG AGCCAGAGCA TGTGCAAAA CTACCGCACT
 24181 TTCATTCTCG AGCGATCTGG GATGCTGCC GGCACCTGCC ACCGCTTCCC CTCCGACTTT
 24241 GTCCCGCTGA GCTACCGCGA GTGTCCCCCG CCGCTGTGGA CCCACTGCTA CCTCTTGCG
 24301 CTGGCCAAC ACTACGCCCTA CCACCTGGAT GTTATCGAGG ACGTGAGCGG CGAGGGCTG
 24361 CTAGAGTGGC ACTGCCGCTG CAACCTGTGC TCTCCGCACC GCTCTGGTC TGCAACCCCC
 24421 AGCTCCTGAG CGAGACCCAG GTCATCGGTA CCTTCGAGCT GCAAGGTCCG CAGGAGTCCA
 24481 CCGCTCCGCT GAAACTCACG CCGGGGTTGT GGACTTCCGC GTACCTGCAC AAATTTGTAC
 24541 CCGAGGACTA CCACGCCCAT GAGATAAAAGT TCTTCGAGGA CCAATCGCGC CCGCAGCACG
 24601 CGGATCTCAC GCCCTCGCTC ATCACCCAGG GCGCGATCCT CGCCCAATTG CACGCCATCC
 24661 AAAATCCCG CCAAGAGTTT CTTTTGAAAA AGGGTAGAGG GGTCTATCTG GACCCCCAGA
 24721 CGGGCGAAGT GCTCAACCCG GGTCTCCCCC AGCATGCCGA AGAAGAACAG GAGCCGCTAG
 24781 TGGAGAGAT GGAAGAAGAA TGGGACAGCC AGCAGAAGAA GACGAATGGG AAGAAGAGAC
 24841 AGAAGAAGAA GAATTGGAAA AGTGGAAAGA GAGCAGCAC GACACCGTCC CCGCACCATC
 24901 CGCGCCGCAAG CCCGGCGTC ACGGATACAA CTCGCAGTCC GCAAGCTCC TCGTAGATGG
 24961 ATCGAGTGAA GGTGACGGTA ACCACGAGCC GCAGGGCTAC GAATCATGGA GGCCCACAAA
 25021 CGGGGATCAT CGCCTGCTTG CAAGACTGCC GGGGGAACAT CGTTTCGCC GCGCTATCT
 25081 GCTCTTCCAT CGCGGGGTGA ACATCCCCCG CAACGTGTTG CATTACTACC GTCACCTTC
 25141 CAGCTAAGAA AAAATCAGAG TAAGAGGAGT CGCCGGAGGA GGCNTGAGGA TCGCGGCGAA
 25201 CGAGCCATTG ACCACCAAGG AGCTGAGGAA TCGGATCTTC CCCACTCTTT ATGCCATTT
 25261 TCAGCAGAGT CGAGGTCAAGC AGCAAGAGCT CAAAGTAAAA AACCGGTCTC TGCGCTCGCT
 25321 CACCCGCACT TGCTTGTAAC ACAAAACGA AGATCAGCTG CAGCGCACTC TCGAAGACGC
 25381 CGAGGCTCTG TTCCACAAGT ACTGCAGCCT CACTCTAAA GACTAAGGCG CGCCCAACCG
 25441 GAAAAAAGGC GGGAAATTACC TCATGCCAC CATGAGCAAG GAGATTCCCA CCCCTTACAT
 25501 GTGGAGCTAT CAGCCCCAGA TGGGCCCTGGC CGCGGGGCC TCCCAGGACT ACTCCACCCG
 25561 CATGAACCTGG CTCAGTGCCG GCCCCCTCGAT GATCTCACGG GTCAACGGGG TCCGTAACCA
 25621 TCGAAACCAAG ATATTGTTGG AGCAGGGCGG GGTACCTCA ACGCCCAAGG AAAGCTCAAC
 25681 CCGCGTAATT GGCCCTCCAC CCTGGTGTAT CAGGAAATCC CCGGGCCGAC TACCGTACTA
 25741 CTTCCGCGTG ACGCACTGGC CGAAGTCCCG ATGACTAACT CAGGTGTCCA GCTGGCCGGC
 25801 GGCCTTCCC GGTGCCCGCT CCGCCCCACAA TCGGGTATAA AAACCCCTGGT GATACGAGGC
 25861 AGAGGCACAC AGCTCAACGA CGAGTTGGTG AGCTCTCAA TCGGTCTGCG ACCGGACGGG
 25921 GTGTTCCAAC TAGCCGGAGC CCGGAGATCG TCCTTCACTC CCAACCAGGC TACCTGACCT
 25981 TGCAGAGCAG CTCTTCCGGAG CCTCGCTCCG GAGGCATCGG AACCCCTCCAG TTTGTGGAGG
 26041 AGTTTGTCGC CTCGGTCTAC TTCAACCCCT TCTCGGGATC GCCAGGCCTC TACCCGGACG
 26101 AGTTCATACC GAACTTCGAC GCAGTGTAGG AAGCGGTGGA CGGCCACGAC TGAATGTCTT
 26161 ATGGTGACTC GGCTGAGCTC GCTCGGTTGA GGCACCTAGA CCACTGCCGC CGCCTCGCT
 26221 GCTTCGCCCG GGAGAGCTGC GGACTTATCT ACTTTGAGTT TCCCGAGGAG CACCCCAACG
 26281 GCCCTGACA CGGAGTGCAG ATCACCGTAG AGGGCACCA CGAGTCTCAC CTGGTTAGGT
 26341 TCTTCACCCA GCAACCTTC CTGGTCGAGC GGGACCGGGG AGGCACCAACC TACACCGTCT
 26401 ACTGCATCTG TCCAACCCCCG AACTTGCTATG AGAATTTTTG TTGACTCTG TGTGCTGAGT
 26461 TTAATAAAAG CTAAACTCCT ACAAAACTCT GGGATCCCGT GTCGTGCCAC TCGCAACAAAG
 26521 ACCTTCACCC TCACCAACCA GACTGAGGTA AAATTCAACT GCAGACGGGG GGACAAATAC
 26581 ATCCTCTGGC TTTTAAAAAA CACTTCCTTC GCAGTCTCCA ACCCTGCGC CAACGACGGT
 26641 ATTGAAATAC CCAACAAACCT TACCAGTGGA CTAACCTATA CTACCAAGAAA GACTAAGCTA
 26701 GTACTCTACA ATCCTTTGT AGACGGAAACC TACCACTGCC AGACGGGACC TTGCTTCCAC
 26761 ACTTTCACTT TGGTGAACGT TACCGACAGC AGCACAGCCG CTACAGAAAC ATCTAACCTT
 26821 CTTTTTGATA CTAACACTCC TAAAACCGGA GGTGAGCTCT GGGTCCCTC TCTAACAGAG
 26881 GGGGGTAAAC ATATTGAAGC CGTTGGGTAT TTGATTTCAG GGGTGGTCCT GGGTGGTGC
 26941 ATAGCGGTGC TGTATTACCT TCCTTGCTGG ATCGAAATCA AAATCTTTAT CTGCTGGTGC
 27001 AGACATTGTT GGGAGGAACC ATGAAGGGGC TCTTGCTGAT TATCCTTTCC CTGGTGGGGG
 27061 GTGTACTGTC ATGCCACGAA CAGCCACGAT GTAACATCAC CACAGGAAT GAGAGGAGTG
 27121 TGATATGCAC AGTAGTCATC AAATGCAGG ATACATGCC TCTCAACATC ACATTAAAAA
 27181 ACCGTACCAT GGGAAATGCA TGGGTGGCG ACTGGGAACC AGGAGATGAG CAGAACTACA
 27241 CGGTCACTGT CCATGGTAGC AATGGAAATC ACACCTTTGG TTTCAAATTC ATTTTGAAAG
 27301 TCATGTGTGA TATCACACTG CATGTGGCTA GACTTCATGG CTTGTGGCCC CCTACCAAGG

27361 ATAACATGGT TGGGTTTCT TTGGCTTTG TGATCATGGC CTGTGCAATG TCAGGTCTGC
 27421 TGGTAGGGC TTTAGTGTGG TTCCTAAAGC GCAAGCCTAG GTATGGAAAT GAGGAGAAGG
 27481 AAAAATTGCT ATAATCTT TCTCTTCGCA GAACCATGAA TACAGTGATC CGTATCGTGC
 27541 TGCTCTCT TCTTGTAACT TTTAGTCAGG CAGGATTCAT ACCATCAATG CTACATGGTG
 27601 GGCTAATATA ACTTTAGTGG GACCTCAGAT ATTCCAGATC ACATGGTATG ATAGCACTGG
 27661 ATTGCAATTG TGTGATGGAA GTACAGTTAA GAATCCACAG ATCAGACATA GTTGTAAATGA
 27721 TCAAAACTTA ACTCTGATTC ATGTGAACAA AACCCATGAA AGAACATACA TGGGCTATAA
 27781 TAAGCAGAGT ACTCATAAAG AAGACTATAA AGTCACAGTT ATACCACCTC CTCCTGTTAC
 27841 TGTAAGGCCA CAACCAGAGC CAGAATATGT GTATGTTAAT ATGGGAGAGA ACAAAACCTT
 27901 AGTTGGCCT CCAGGAATTC CAGTTAGTTG GTTTAATCAG GATGGTTTAC AATTTGCAT
 27961 TGGGGATAAA GTTTTCATC CAGAATTCAA CCACACCTGT GACATGCAAAT ATCTTACACT
 28021 GTTGTAAATA AATCTTACAC ATGATGGAGC TTATCTTGGT TATAATCGCC AGGGAACTGA
 28081 AAGAACTTGG TATGAGGTTG TAGTGTCAAGA TGTTTCCAA AAATCAGAAG AGATGAAGGT
 28141 AGAAGACCAT AGTAAAGAAA CAGAACAAAAA ACAGACTGGT CAAAACAAA GTGACCATAA
 28201 GCAGGGTGGG CAAAAAGAAA CAAGTCAAAAA GAAAACATAAT GACAAACAAA AGCCATCGCG
 28261 CAGGAGGCCA TCTAACTAA AGCCAAACAC ACCTGACACA AAACAAATTA CAGTCACTAG
 28321 TGGGTCAAAC GTAACTTAG TTGGTCCAGA TGAAAGGTC ACTTGGTATG ATGATGATTT
 28381 AAAAAGACCA TGTGAGCTG GGTATAAGTT AGGGTGTAAAG TGTGACAATC AAAACCTAAC
 28441 CCTAATCAAT GTAACAAAC TTTATGAGGG AGTTTACTAT GGTACTAATG ACAGAGGCAA
 28501 CAGCAAAAGA TACAGAGTAA AAGTAAACAC TACTAATTCT CAAAGTGTGA AAATTCAAGC
 28561 GTACACCAGG CCTACTACTC CTGATCAGAA ACACAGATTG GAATTGCAAAT TTGATTCTAA
 28621 TCAAGACAAA ATTCCATCAA CTACTGTGGC AATCGTGGT GGAGTGTATCG CGGGCTTTGT
 28681 AACTCTAAC ATTATTTCA TATGCTACAT CTGCTGCCGC AAGCGTCCCA GGTACATACAA
 28741 TCATATGGTA GACCCACTAC TCAGCTTCTC TTACTGAAAC TCAGTCACTC TCATTTCAAGA
 28801 ACCATGAAGG CTTTCACAGC TTGCGTTCTG ATTAGCATAG TCACACTTAG TTCACTGCA
 28861 ATGATTAATG TTAATGTCAC TAGAGGTTGGT AAAATTACAT TGAATGGGAC TTATCCACAA
 28921 ACTACATGGA CAAGATATCA TAAAGATGGA TGAAAATAA TTTGTGAATG GAATGTTACT
 28981 GCATACAAAT GCTTCATAA TGGAAGCATT ACTATTACTG CCACTGCCAA CATTACTTCT
 29041 GGCACATACA AAGCTGAAAG CTATAAAAAT GAAATTAAAAA AATTAACCTA TAAAACAAAC
 29101 AAAACCACAT TTGAAGATTG TGAAATTAT GAGCATCAA AATTATCTTT TTATATGTTG
 29161 ACAATAATTG AACTGCCTAC ACCAACGGCA CCCACACAG TTAGTACAAC TACACAGTC
 29221 ACTGTTAAGA CCACTACTCA CACTACACAG CTAGACACCA CAGTGCAGAA TAATACTGTG
 29281 TTGGTTAGGT ATTTGTTGAG GGAGGAAAGT ACTACTGAAAC AGACAGAGGC TACCTCAAGT
 29341 GCCTTTATCA GCACTGCAAAT TTTAACCTCG CTTGCTTGGA CTAATGAAAC CGGAGTATCA
 29401 TTGATGCATG GCCAGCCCTA CTCAGGTTTG GATATTCAA TTACTTTCT GTTGTCTGT
 29461 GGGATCTTA TTCTTGTGGT TCTTCTGTAC TTGCTGCTG GTAAAGCCAG AAAGAAATCT
 29521 AGGAGGCCA TCTACAGGCC AGTGTATTGGG GAACCTCAGC CACTCCAAGT GGATGGAGGC
 29581 TTAAGGAATC TTCTTTCTC TTTTACAGTA TGTTGATCAG CCATGATTCC TAGTTCTCC
 29641 TATTTAACAT CCTCTTCTGT CTCTTCAACA TCTGTGCTGC CTTTGGGGCA GTTTCGCACG
 29701 CCTCGCCCCA CTGCTAGGG CCTTCCCCCA CCTACTCCTC TTGCCCCCTGC TCACCTGCAC
 29761 CTGCGTCTGC AGCATTGTCT GCCTGGTCAT CACCTCCTG CAGCTCATCG ACTGGTGTCTG
 29821 CGCGCGCTAC AATTACTTCA TCATAGTCCC GAATACAGGG AGCAGAACGT AGCCAGAATT
 29881 TTAAGGCTCA TATGACCATG CAGACTCTGC TCATACTGCT ATCGCTTTA TCCCACGCC
 29941 TCGCTACTGC TGATTACTCT AAATGCAAAT TGCGGACAT ATGGAATTTC TTAGACTGCT
 30001 ATCAGGAGAA AATTGATATG CCCTCCTATT ACTTGTTGAT TGTGGGAAATA GTTATGGTCT
 30061 GCTCCTGCAC TTCTTGTGCC ATCATGATCT ACCCCTGTT TGATCTTGGA TGGAACCTCTG
 30121 TTGAGGCATT CACATACACA CTAGAAAGCA GTTCACTAGC CTCCACGCCA CCACCCACAC
 30181 CGCCTCCCCG CAGAAATCAG TTCCCCATGA TTCAGTACTT AGAAGAGGCC CCTCCCCGAC
 30241 CCCCTCCAC TGTTAGCTAC TTTCACATAA CGGGGGCGA TGACTGACCA CCACCTGGAC
 30301 CTCGAGATGG ACGGCCAGGC CTCCGAGCAG CGCATCCTGC AACTGCGCGT CCGTCAGCAG
 30361 CAGGAGCGTG CCGCCAAAGGA GCTCCTCGAT GCCATCAACA TCCACCAGTG CAAGAAGGGC
 30421 ATCTTCTGCC TGGTCAAACA GGCAAAGATC ACCTACGAGC TCGTGTCCAA CGGCAAACAG
 30481 CATGCCTCA CCTATGAGAT GCCCCAGCAG AAGCAGAAAGT TCACCTGCAT GGTGGCGTC
 30541 AACCCCATAG TCATCACCCCA GCAGTCGGGC GAGACCAACG GCTGCATCCA CTGCTCTGC
 30601 GAAAGCCCCG AGTGTATCTA CTCCCTCTC AAGACCCCTT GCGGACTCCG CGACCTCCTC
 30661 CCCATGAACCT GATGTTGATT AAAAACAAA AAAAACAAATC AGCCCCCTTCC CCTATCCCAA
 30721 ATTACTCGCA AAAATAAAATC ATTGGAACTA ATCATTAAAT AAAGATCACT TACTTGAAAT

- 37 -

30781 CTGAAAGTAT GTCTCTGGTG TAGTTGTTCA GCAGCACCTC GGTACCCCTCC TCCCAACTCT
 30841 GGTACTCCAG TCTCCGGCGG CGGGCGAAGT TTCTCCACAC CTTGAAAGGG ATGTCAAATT
 30901 CCTGGTCCAC AATTTCATT GTCTTCCCTC TCAGATGTCA AAGAGGCTCC GGGTGGAAAGA
 30961 TGACTTCAAC CCCGCTTACCC CCTATGGCTA CGCGCGGAAT CAGAATATCC CCTTCCTCAC
 31021 TCCCCCCTT GTCTCCCTCG ATGGATTCAA AAACCTCCCC CCTGGGGTCC TGTCACTCAA
 31081 ACTGGCTGAC CCAATCACCA TAGCCAATGG TGATGTCTCA CTCAGGGTGG GAGGGGACTT
 31141 ACTTTGCAAG AAGGAAGTAT GACTGTAGAC CCTAAGGCTC CTTGCAACT TGCAAACAAT
 31201 AAAAAACTTG AGCTTGTATA TGTGATCCA TTTGAGGTTA GTGCCAATAA ACTTAGTTA
 31261 AAAGTAGGAC ATGGATTAAA AATATTAGAT GACAAAAGTG CTGGAGGGTT GAAAGATTAA
 31321 ATTGGCAAAC TTGTGGTTT AACAGGGAA AGGAATAGGC ACTGAAAATT TGCAAAATAC
 31381 AGATGGTAGC AGCAGAGGAA TTGGTATAAG TGTAAGAGCA AGAGAAGGGT TAACATTGA
 31441 CAATGATGGA TACTTGGTAG CATGGAACCC AAAGTATGAC ACCGGCACAC TTTGGACAAC
 31501 ACCAGACACA TCTCTTAATT GCAGGATTGA TAAGGAGAAG ATTCAAAACT CACTTTGTA
 31561 CTTACAAAGT GTGGAAGTCA AAATATTAGCT AATGTGTCTT TGATTGTGGT GTCAGGAAA
 31621 TATCAATACA TAGACCACGC TACAAATCCA ACTCTTAAAT CATTAAAT AAAACTTCTT
 31681 TTTGATAATA AAGGTGTACT TCTCCCAAGT TCAAACCTTG ATTCCACATA TTGGAACTTT
 31741 AGAAGTGACA ATTTAATGT ATCTGAGGCA TATAAAATG CAGTTGAATT TATGCCATAA
 31801 TTGGTAGCCT ACCCAAAACC TACCACTGGC TCTAAAAAT ATGCAAGGGG TATAGTCTAT
 31861 GGGAACATAT ATCTTGGAGG TTGGCATAT CAGCCAGTTG TAATTAAGGT TACTTTAAAT
 31921 GAAGAACAG ATAGTCTTA CTCTATAACA TTTGAATTG TATGGAATAA AGAATATGCC
 31981 AGGGTTGAAT TTGAAACCAC TTCTTTTAC TTCTCTTATA TTGCCAACA ATAAAAGACC
 32041 AATAAACGTG TTTTTTATT CAAATTTAT GTATCTTAT TGATTTTAC ACCAGCGCGA
 32101 GTAGTCATC TCCCACCAAGG AGCCCATTT ACAGTGTACA CGGTTCTCTC AGCACGGTGG
 32161 CCTTAAATAA GGAAATGTTG TGATTATTGC GGGAACTGGG CTTGGGGTCT ATAATCCACA
 32221 CAGTTTCCTG ACGAGCCAAA CGGGGATCGG TGATTGAAAT GAAGCCGTCC TCTGAAAAGT
 32281 CATCCAAGCG GGCCTCACAG TCCAGGTAC AGTCTGGTGG AACGAGAAGA ACGCACAGAT
 32341 TCATACTCGG AAAACAGGAT GGGTCTGTGC CTCTCCATCA GCCCCCTCAG CAGTCTCTGC
 32401 CGCCGGGGCT CGGTGCGGCT GCTGCAAATG GGATCGGGAT CACAAGTCTC TCTAACTATG
 32461 ATCCCAACAG CTTTCAGCAT CAGTCTCTG GTGCGTCGAG CACAGCACCG CATCCTGATC
 32521 TCTGCCATGT TCTCACAGTA AGTGCAGCAC ATAATCACCA TGTTATTCA TGAGCCATAA
 32581 TTCAGGGTGC TCCAGCCAAA GCTCATGTG GGGATGATGG AACCCACGTG ACCATCGTAC
 32641 CAGATGCGC AGTATATCAG GTGCCCTGCC CTCATGAACA CACTGCCAT ATACATGATC
 32701 TCTTTGGGCA TGTTCTGTG TACAATCTGG CGGTACCAAGG GGAAGCGCTG GTTGAACATG
 32761 CACCCGTAAA TGACTCTCCT GAACCACAG GCCAGCAGGG TGCCCTCCCGC CCGACACTGC
 32821 AGGGAGCCAG GGGATGAACA GTGCCAATGC AGGATCCAGC GCTCGTACCC GCTCACCATC
 32881 TGAGCTCTTA CCAAGTCCAG GGTAGCGGGG CACAGGCACA CTGACATACA TCTTTTAAAT
 32941 ATTTTTATTG CCTCTGTGGT GAGGATCATA TCCCAGGGG CTGGAAACTC TTGGAGCAGG
 33001 GTAAAGCCAG CAGCACATGG TAATCCACGG ACAGAACTTA CATTATGATA ATCTGCATGA
 33061 TCACAATCGG GCAACAGGGG ATGTTGATCA GTCACTGAAAG CCCTGGTTTC ATCATCAGAT
 33121 CGTGGTAAAC GGGCCCTCGG ATATGGATGA TGGCGGAGCG AGCTGGATMG AATCTCGTT
 33181 TGCATTGTAG TGGATTCTCT TGCGTACCTT GTCGTACTTC TGCCAGCAGA AATGGCCCT
 33241 TGAACAGCAT ATACCCCTCC TGCGGCCGTC CTTTCGCTGC TGCCGCTCAG TCATCCAATC
 33301 GAAGTACATC CATTCTCGAA GATTCTGGAG AAGTTCCCT GCATCTGATG AAATAAAAAA
 33361 CCCGTCCATG CGAATCCCC TCATCACATC AGCCAGGACT CTGTAGGCCA TCCCCATCCA
 33421 GTTAATGCTG CCTTGCTAT CATTCAAGGG GGGCGGTGGC AGGATTGGAA GAACCATTT
 33481 TATTCCAAAC GGTCTCGAAG GACGATAAAAG TGCAAGTCAC GCAGGTGACA GCGTTCCCT
 33541 CCGCTGTGCT GGTGGAAACA GACAGCCAGG TCAAAACCC CACTATTTTC AAGGTGCTCG
 33601 ACCGTGGCTT CGAGCAGTGG CTCTACCGT ACATCCAGCA TAAGAATCAC ATTAAGGCT
 33661 GGGCCCTCCAT CGATTTCATC AATCATCAGG TTACATCCT GCACCATCCC CAGGTAATTC
 33721 TCATTTTCC AGCCTGGAT TATCTCTACA AATTGTTGGT GTAAATCCAC TCCGCACATG
 33781 TTGAAAAGCT CCCACAGTGC CCCCTCCACT TTCATAATCA GGCAGACCTT CATAATAGAA
 33841 ACAGATCCTG CTGCTCCACC ACCTGCAGGG TGTTCAAAAC AACAAGATTC AATAAGGTT
 33901 TGCCCTCCGC CCTGAGCTCG CGCCTCAATG TCAGCTGCAA AAAGTCACCTT AAGTCCTGGG
 33961 CCACTACAGC TGACAATTCA GAGCCAGGGC TAAGCGTGGG ACTGGCAAGC GTGAGGGAAA
 34021 ACTTTAATGC TCCAAAGCTA GCACCCAAAA ACTGCATGCT GGAATAAGCT CTCTTTGTGT
 34081 CTCCGGTGAT GCCTTCCAAA ATGTGAGTGA TAAAGCGTGG TAGTTTTTC TTTAATCATT
 34141 TGCCTAATAG AAAAGTCCCTG TAAATAAGTC ACTAGGACCC CAGGGACCAC AATGTGGTAG

- 38 -

34201 CTTACACCGC GTCGCTGAAA GCATGGTTAG TAGAGATGAG AGTCTGAAAA ACAGAAAGCA
34261 TGCGCTAAC TAAGGTGGCT ATTTTCACTG AAGGAAAAAT CACTCTTTCC AGCAGCAGGG
34321 TACCCACTGG GTGGCCCTTG CGGACATACA AAAATCGGTC CGTGTGATTA AAAAGCAGCA
34381 CAGTAAGTTC CTGTCTTCTT CCGGCAAAAA TCACATCGGA CTGGGTTAGT ATGTCCCTGG
34441 CATGGTAGTC ATTCAAGGCC ATAATCTGC CCTGATATCC AGTAGGAACC AGCACACTCA
34501 CTTTTAGGTG AAGCAATACC ACCCCATGCG GAGGAATGTG GAAAGATTCA GGGCAAAAAA
34561 AATTATATCT ATTGCTAGCC CTTCCGGAC GGGAGCAATC CTCCAGGACT ATCTATGAAA
34621 GCATACAGAG ATTCAAGCCAT AGCTCAGCCC GCTTACCAAGT AGACAAAGAG CACAGCAGTA
34681 CAAGCGCCAA CAGCAGCGAC TGACTACCCA CTGACTTAGC TCCCTATTAA AAGGCACCTT
34741 ACACTGACGT AATGACCAAA GGTCTAAAAA CCCCGCCAAA AAAACACACA CGCCCTGGGT
34801 GTTTTGGCA AAACACTTCC GCGTTCTCAC TTCCCTCGTAT CGATTTCGTG ACTTGACTTC
34861 CGGGTTCCCA CGTACGTCA CTTTTGCCCT TACATGTAAC TTAGTCGTAG GGCGCCATCT
34921 TGCCCACGTC CAAATGGCT TACATGTCCA GTTACGCCCT CGCGGGCGACC GTTAGCCGTG
34981 CGTCGTGACG TCATTGCAAT CAACGTTCT CGGCCAATCA GCAGTAGCCC CGCCCTAAAT
35041 TTAAAACCTC ATTTGCATAT TAACTTTGT TTACTTTGTG GGGTATATTA TTGATGATG

ATGTCAAAGAGGGCTCCGGTGGAAAGATGACTTCAACCCCGTCTACCCCTA
TGGCTACGCGCGGAATCAGAATATCCCCCTCCTCACTCCCCCCTTGTCTC
CTCCGATGGATTCAAAAACCTCCCCCTGGGGTCTGTCACTCAAACGGC
TGACCCAATCACCATAGCCAATGGTATGTCTCACTCAAGGTGGAGGGG
GACTTACTTGCAAGAAGGAAGTCTGACTGTAGACCCTAACGGCTCCCTG
CAACTTGCAAACAATAAAAAACTTGAGCTTATGTTGATCCATTGAG
GTTAGTGCAAAACTTAGTTAAAAGTAGGACATGGATTAAAAATATT
AGATGACAAAAGTGCTGGAGGGTTGAAAGATTAAATTGCAAACATTGTGG
TTTAACAGGGAAAGGAATAGGCAC TGAAAATTGCAAACATACAGATGGT
AGCAGCAGAGGAATTGGTATAAGTGTAAAGAGCAAGAGAAGGGTTAACAT
TTGACAATGATGGACTTGGTAGCATGGAACCCAAAGTATGACACGCGC
ACACTTGACAACACCAGACACATCTCTAATTGAGGATTGATAAGGA
GAAGGATTCAAAACTCACTTGGTACTTACAAAGTGTGGAAAGTCAAATAT
TAGCTAATGTGCTTGATTGTGGTGTAGGAAAATATCAATAACATAGACC
ACGCTACAAATCCAACCTTAAATCATTAAAATAAAACCTCTTTGATA
ATAAAGGTGTACTTCTCCAAGTTCAAACCTTGATTCCACATATTGGAAC
TTAGAAGTGACAATTAACTGTATCTGAGGCATATAAAAATGCAGTTGAA
TTTATGCCTAATTGGTAGCCTACCCAAAACCTACCACTGGCTCTAAAAAA
TATGCAAGGGATATAGTCTATGGAACATATATCTTGGAGGTTGGCATA
TCAGCCAGTTGAATTAAAGGTACTTTAATGAAGAAGCAGATAGTGTAA
CTCTATAACATTGAATTGTATGGAATAAGAATATGCCAGGGTTGAA
TTGAAACCACCTCCTTACCTCTCCTATATTGCCAACAAATAA

SEQ ID NO:2

SUBSTITUTE SHEET (RULE 26)

- 40 -

Penton17.Seq Length: 1554

1 ATGAGGCGTG CGGTGGTGT CTCCTCTCCT CCTCCCTCGT ACGAGAGCGT
51 GATGCCGCAG GCGACCCCTGG AGGTTCCGTT TGTGCCTCCG CGGTATATGG
101 CTCCTACGGA GGGCAGAAC AGCATTGTT ACTCGGAGCT GGCTCCGTTG
151 TACGACACCA CTCGCGTGT A CTTGGTGGAC AACAAAGTCGG CGGACATCGC
201 TTCCCTGAAC TATCAAAACG ACCACAGCAA CTTCCGTGACC ACGGTGGTGC
251 AGAACAAACGA TTTCACCCCCC GCCGAGGCTA GCACGCAGAC GATAAATTTT
301 GACGAGCGGT CGCGGTGGGG CGGTGATCTG AAGACCATTG TGACACACAA
351 CATGCCAAT GTGAACGAGT ACATGTTCAC CAGCAAGTTT AAGGCGCGGG
401 TGATGGTGGC TAGAAAACAC CCACAGGGGG TAGAAGCAAC AGATTTAAC
451 AAGGATATCT TAGAGTATGA GTGGTTGAG TTTACCCCTGC CCGAGGGCAA
501 CTTTTCCGAG ACCATGACCA TAGACCTGAT GAACAACGCC ATCTTGGAAA
551 ACTACTTGCA AGTGGGGCGG CAAAATGGCG TGCTGGAGAG CGATATTGGA
601 GTCAAGTTTG ACAGCAGAAA TTTCAAGCTG GGCTGGGACC CTGTGACCAA
651 GCTGGTGATG CCAGGGGTCT ACACCTACGA GGCCTTTCAC CCGGACGTGG
701 TGCTGCTGCC GGGCTGCCGG GTGGACTTCA CAGAGAGCCG CCTGAGCAAC
751 CTCCTGGCA TTCGCAAGAA GCAACCTTTC CAAGAGGGCT TCAGAATCAT
801 GTATGAGGAT CTAGAAGGGG GCAACATCCC CGCCCTGCTG GATGTGCCA
851 AGTACTTGGG AAGCAAGAAC AAGTTAGAGG AGGCATTGGA GAATGCTGCT
901 AAAGCTAATG GTCCCTGCAAG AGGAGACAGT AGCGTCTCAA GAGAGGTTGA
951 AAAGGCAGCT GAAAAAGAAC TTGTTATTGA GCCCATCAAG CAAGATGATA
1001 CCAAGAGAAC TTACAACCTC ATCGAGGGAA CCATGGACAC GCTGTACCGC
1051 AGCTGGTACC TGTCCCTATAC CTACCGGGAC CCTGAGAACG GGGTGCAGTC
1101 GTGGACGCTG CTCACCACCC CGGACGTCAC CTGCGGCGCG GAGCAAGTCT
1151 ACTGGTCGCT GCCGGACCTC ATGCAAGACC CCGTCACCTT CCGTTCTACC
1201 CAGCAAGTCA GCAACTACCC CGTGGTCGGC GCCGAGCTCA TGCCCTTCCG
1251 CGCCAAGAGC TTTTACAACG ACCTCGCCGT CTACTCCCAG CTCATCCGCA
1301 GCTACACCTC CCTCACCCAC GTCTCAACC GCTTCCCCGA CAACCAGATC

SEQ ID NO: 3

- 41 -

1351 CTCTGCCGTC CGCCCCGGCC CACCATCACC ACCGTCAGTG AAAACGTGCC
1401 TGCTCTCACA GATCACGGGA CGCTACCGCT GCGCAGCAGT ATCCGCGGAG
1451 TCCAGCGAGT GACCGTCACT GACGCCGTC GCCGCACCTG TCCCTACGTC
1501 TACAAGGCC CGCGCCCGT GTGCTTTCCA GTCGCACCTT
1551 CTAA

- 42 -

Claims

1. A chimeric adenoviral vector comprising nucleotide sequence of a first adenovirus, wherein at least one gene of said first adenovirus encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by the corresponding gene from a second adenovirus belonging to subgroup D, said vector further comprising a transgene operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell.
10
2. A chimeric adenoviral vector according to Claim 1 wherein said second adenovirus is selected from the group consisting of Ad 9, Ad 15, Ad 17, Ad 19, Ad 20, Ad 22, Ad 26, Ad 27, Ad 28, Ad 30, and Ad 39.
- 15 3. A chimeric adenoviral vector according to Claim 1 wherein said first adenovirus is selected from the group consisting of Ad 2, Ad 5, and Ad 12.
4. A chimeric adenoviral vector according to Claim 1 wherein said replaced gene encodes Ad fiber.
20
5. A chimeric adenoviral vector according to Claim 1 wherein said replaced gene encodes Ad penton base.
- 25 6. A chimeric adenoviral vector according to Claim 1 wherein a first replaced gene encodes Ad fiber, and a second replaced gene encodes Ad penton base.
7. A chimeric adenoviral vector comprising nucleotide sequence of a first adenovirus, wherein a portion of a gene thereof encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization

- 43 -

thereof within said cell, is replaced by a portion of the corresponding gene from a second adenovirus belonging to subgroup D, said vector further comprising a transgene operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell.

5

8. A chimeric adenoviral vector according to Claim 7 wherein the encoding sequence that is replaced codes for a portion of Ad fiber.
9. A chimeric adenoviral vector according to Claim 7 wherein the encoding sequence that is replaced codes for a portion of Ad penton base.
10. A chimeric adenoviral vector according to Claim 9 wherein the encoding sequence that is replaced codes for an amino acid sequence that includes RGD.
- 15 11. A method of providing a biologically active protein to the airway epithelial cells of a patient comprising administering to said cells an adenoviral vector selected from the group consisting of:
 - (a) a chimeric adenoviral vector comprising nucleotide sequence of a first adenovirus, wherein at least one gene of said first adenovirus encodes a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by the corresponding gene from a second adenovirus belonging to subgroup D, said vector further comprising a transgene encoding said protein that is operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell; and
 - (b) a chimeric adenoviral vector comprising nucleotide sequence of a first adenovirus, wherein a portion of a gene thereof encoding a protein that facilitates binding of said vector to a target mammalian cell, or internalization thereof within said cell, is replaced by a portion of the

- 44 -


corresponding gene from a second adenovirus belonging to subgroup D, said vector further comprising a transgene encoding said protein that is operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell;

5 under conditions whereby the transgene encoding said protein is expressed, and phenotypic benefit is produced in said airway epithelial cells.

12. A method according to Claim 11 wherein said second adenovirus is Ad 17 and the nucleotide sequence thereof used in replacement of nucleotide sequence of
10 said first adenovirus encodes a polypeptide selected from the group consisting of Ad 17 fiber, a fragment of Ad 17 fiber, Ad 17 hexon, a fragment of Ad 17 hexon, Ad penton base, and a fragment of Ad 17 penton base.
13. A method of providing a biologically active protein to the airway epithelial
15 cells of a patient that comprises administering to said cells an adenoviral vector comprising elements of an Ad 17 genome, and a transgene encoding said protein that is operably linked to a eucaryotic promoter to allow for expression therefrom in a mammalian cell, under conditions whereby the transgene encoding said protein is expressed, and phenotypic benefit is
20 produced in said airway epithelial cells.


1/28

FIG. 1




2/28

FIG. 2



3/28


FIG. 3



4 / 28

Chimeric Ad2/βgal-2/ Ad17 vectors

FIG. 4



5 / 28

FIG. 5A-1

6 / 28

FIG. 5A-2

START

240	GVDFTESRLSNLLGIRKKQQPFQEGFRIMYEDLEGGNIPALLDVPKYLES.	288
247	GVDFTHSRLSNLLGIRKRQQPFQEGFRITYDDLEGGNIPALLDVDAYQASL	296
289	KKKLEEEALENAAKANGPA.	.
297	KDDTEQQGDGAAGGGNNSGGAEENSNAAAAAMQPVEDMNDHAIRGDTFAT	346
314	REVEKAAE.	.
347	RAEEKRAEAEEAAAPAPAQPEVEKPKQQKPVVIKPLTEDSKKRSYNLISN	396
344	TMD.TLYRSWYLSYTYYRDPEENGVQSWTLLTPDVTCGAEQVYWSLPDLMQ	392
397	DSTFTQYRSWYLAYNYGDPQTGIRSWTLLCTPDVTCGSEQVYWSLPDLMQ	446

END

7/28

FIG. 5B

393 DPVTFRSTQQVSNYPVVGAEILMPFRAKSFYNDLAVYSQLIRSYTSLTHVF 442
| | | | | : | | | | | : | | | | | | | | | | | | | | | | | | | |
447 DPVTFRSTSQISNFPVVGAEILLPVHSKSFYNDQAVYSQLIRQFTSLTHVF 496
| | | | | : | | | | | | | | | | | | | | | | | | | | | | | | | |
443 NRFPDNQILCRPPAPTTVSENVPALTDHGTLPLRSSSTRGVQRVTITDA 492
| | | | | : | | | | | | | | | | | | | | | | | | | | | | | | | |
497 NRFPEPNQILARRPPAPTTVSENVPALTDHGTLPLRNNSIGGVQRVTITDA 546
| | | | | : | | | | | | | | | | | | | | | | | | | | | | | | | |
493 RRRTCPYYKALGIVAPRVLSSRTF 517
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
547 RRRTCPYYKALGIVSPRVLSSRTF 571

FIG. 6A-1

8/28

1	Penton5 Penton2 Penton3 Penton12 Penton40 Penton17 Pentonf10	MRRRAAM. MQRRAAM. .MRRRAVLG .MRRRAVEL .MRRAVGV .MRRAAVV. MWGLQPPPTSI	YEEGP YEEGP VYPEGP QTV . AFPETP PPVMAYAEGPSSSP PPPBPTELT	PPSYESVVA PPSYESVVA PPSYESVM PPSYETVM PPSYESVM PPSYESVM A.. PSTYPAMVNG	APVAAAIG APVAAAIG AMIQPPLLEAP- SEQ ID NO: 7 AAAPP-SEQ ID NO: 8 ADLPATLQAL-SEQ ID NO: 9 QATLEVP-SEQ ID NO: 4 YPPPAASAQS	SPFDAPLDPP-SEQ ID NO: 6 SPFDAPLDPP-SEQ ID NO: 5 SPFDAPLDPP-SEQ ID NO: 5 SPFDAPLDPP-SEQ ID NO: 7 SPFDAPLDPP-SEQ ID NO: 8 SPFDAPLDPP-SEQ ID NO: 9 SPFDAPLDPP-SEQ ID NO: 10
50	Penton5 Penton2 Penton3 Penton12 Penton40 Penton17 Pentonf10	FVP . PRYLRP FVP . PRYLRP FVP . PRYLRP YVP . PRYLGP HVP . PRYLGP FVP . PRYMAP YMPLQRVMAP	TGGRNSIRYS TGGRNSIRYS TEGRNSIRYS TEGRNSIRYS TEGRNSIRYS TEGRNSIRYS TGGRNSIKYR	ELAPLFDTTR ELAPLFDTTR DVSPPLYDTTK ELSPLYDTTR ELAPLYDTTR ELAPLYDTTR DYTPPCRNTTK	VYLVVDNKSTD VYLVVDNKSTD LYLVVDNKSAD VYLVVDNKSAD VYLVVDNKSAD VYLVVDNKSAD LFYVVDNKASD	VASLNYQNDH VASLNYQNDH IASLNYQNDH IASLNYQNDH IASLNYQNDH IASLNYQNDH IDTINYKDANH
100						

FIG. 6A-2

101	Penton5	SNFLTTVIQN	NDYSPGEAST	QTINLDDRSH	WGGDLKTIHLH	TNMPNVNEFM
	Penton2	SNFLTTVIQN	NDYSPGEAST	QTINLDDRSH	WGGDLKTIHLH	TNMPNVNEFM
	Penton3	SNFLTTVWQN	NDFTPTEAST	QTINFDERSR	WGQQLKTIMH	TNMPNVNEYM
	Penton12	SNFLTTVWQN	NDYSPIEAGT	QTINFDERSR	WGQDLKTIHLH	TNMPNVNDFM
	Penton40	SNFQTTVWQN	NDFTPTEAGT	QTINFDDRSR	WGQDLKTIILR	TNMPNINEFM
	Penton17	SNFLTTVWQN	NDFTPAEAST	QTINFDERSR	WGQDLKTIHLH	TNMPNVNEYM
	Pentonf10	SNFRRTTVIHN	QDLDAADTAAT	ESIQLDNRSC	WGQDLKTAVR	TNCPNVSSFF

150

151	Penton5	FTNKFKARVM	VSRL.	PTKD. . N	QVELKYEWVE	FTLPEGNYSE
	Penton2	FTNKFKARVM	VSRS.	LTKD. . K	QVELKYEWVE	FTLPEGNYSE
	Penton3	FSNKFKARVM	VSRKAPEGVT	VNDTYDH. . K	EDILKYEWFE	FILPEGNFSA
	Penton12	FTTKFKARVM	VARK.	TNNE. . G	QTILEYEWAE	FVLPEGNYSE
	Penton40	STNKFRARVM	VEK.	VNR. . K	TNAPRYEWFE	FTLPEGNYSE
	Penton17	FTSKFKARVM	VARKUHQGV. .	EATDL. . S	KDILEYEWFE	FTLPEGNFSE
	Pentonf10	QNSVRRRMM	WKRDPPPTSTA	PPSAVGSGYS	VPGAQYKWYD	LTVPEGNYAL

200 9/28

201	Penton5	TMTIDLMNNA	IVEHYLKVGGR	QNGVLESDIG	VKFDTRNFRRL	GFDPVTLGLVM
-----	---------	------------	-------------	------------	-------------	-------------

250

10 / 28

FIG. 6B-1

Penton2	TMTIDLMNNA	IIEHYLKVGR	QNGVLESDIG	VKEFDTNRNFL	GFDPTVTGLVM
Penton3	TMTIDLMNNA	IIDNYLEIGR	QNGVLESDIG	VKFDTRNFRL	GWDPETKLIM
Penton12	TMTIDLMNNA	IIEHYLRVGR	QHGVLESDIG	VKFDTRNFRL	GWDPEQLVLT
Penton40	TMTIDLMNNA	IVDNYLAVGR	QNGVLESDIG	VKFDTRNFRL	GWDPTVKLVM
Penton17	TMTIDLMNNA	ILENYLQVGR	QNGVLESDIG	VKFDSRNFKL	GWDPTVKLVM
Pentonf10	CELIDLLNEG	IVQLYLSEGR	QNNVQKSDIG	VKEFDTNRNFL	LRDPVTGLVT
				300	
Penton5	PGVYTNEAFH	PDIILLPGCG	VDFTHSRLSN	LLGIRKRQPF	QEGFRITYDD
Penton2	PGVYTNEAFH	PDIILLPGCG	VDFTHSRLSN	LLGIRKRQPF	QEGFRITYDD
Penton3	PGVYTYEAFH	PDIVLLPGCG	VDFTESRLSN	LLGIRKRHPF	QEGFKIMYED
Penton12	PGVYTNEAFH	PDIVLLPGCG	VDFTESRLSN	LLGIRKRQPF	QEGFVIMYEH
Penton40	PGVYTNEAFH	PDIVLLPGCG	VDFTQSRLLN	LLGIRKRMPF	QKGFQIMYED
Penton17	PGVYTYEAFH	PDVVLLPQCG	VDFTESRLSN	LLGIRRKQPF	QEGFRIMYED
Pentonf10	PGTYVYKGH	PDIVLLPGCA	IDFTYSRLSL	LLGIGKREPY	SKGFVITYED
251					

11 / 28

FIG. 6B-2

301	Penton5	LEGGNIPALL	DVDAYQASLK	DDTEQGGGA	GGSNSSGSGA	EENSNAAAA	
	Penton2	LEGGNIPALL	DVDAYQASLK	DDTEQGGDGKA	GGGNNSGSGA	EENSNAAAA	
	Penton3	LEGGNIPALL	DVTAYEESKK	DTTTETTTLA	VAEETSE...		
	Penton12	LEGGNIPALL	DVKKYENSL...	Q...	
	Penton40	LEGGNIPALL	DVEKYEASIK		
	Penton17	LEGGNIPALL	DVPKYLESKK	KLE...	E ALENA AK...		
	Pentonf10	LQGGDIPALL	DLDSDVDNDA	DGEVIELDNA	A		
351	Penton5	MQPVEDMNDH	AIRGDTFATR	AEEKRAEAEA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton2	MQPVEDMNDH	AIRGDTFATR	AEEKRAEA EA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton3	DDD	ITRGDTYITE	KQKREAAAE	V	KKEL
	Penton12	DQN	TVRGDNFIA.	L	NKAA
	Penton40	EAQ	EIRGADFKPN	PQ		DL
	Penton17	ANG	PARGDSSVSR	EVEKAA		EKEL
351	Penton5	MQPVEDMNDH	AIRGDTFATR	AEEKRAEAEA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton2	MQPVEDMNDH	AIRGDTFATR	AEEKRAEA EA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton3	DDD	ITRGDTYITE	KQKREAAAE	V	KKEL
	Penton12	DQN	TVRGDNFIA.	L	NKAA
	Penton40	EAQ	EIRGADFKPN	PQ		DL
	Penton17	ANG	PARGDSSVSR	EVEKAA		EKEL
400	Penton5	MQPVEDMNDH	AIRGDTFATR	AEEKRAEAEA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton2	MQPVEDMNDH	AIRGDTFATR	AEEKRAEA EA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton3	DDD	ITRGDTYITE	KQKREAAAE	V	KKEL
	Penton12	DQN	TVRGDNFIA.	L	NKAA
	Penton40	EAQ	EIRGADFKPN	PQ		DL
	Penton17	ANG	PARGDSSVSR	EVEKAA		EKEL
400	Penton5	MQPVEDMNDH	AIRGDTFATR	AEEKRAEAEA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton2	MQPVEDMNDH	AIRGDTFATR	AEEKRAEA EA	AAEAAAAPAAQ	PEVEKPQKKP	
	Penton3	DDD	ITRGDTYITE	KQKREAAAE	V	KKEL
	Penton12	DQN	TVRGDNFIA.	L	NKAA
	Penton40	EAQ	EIRGADFKPN	PQ		DL
	Penton17	ANG	PARGDSSVSR	EVEKAA		EKEL

F/G 6B-3

401

Penton5 VIKPLTEDSK KRSYNLI . . . SNDSTFTQYR SWYLAYNYGD PQTGIRSWTL
 Penton2 VIKPLTEDSK KRSYNLI . . . SNDSTFTQYR SWYLAYNYGD PQTGIRSWTL
 Penton3 KIQPLEKDSK SRSYNVL . . . E. DKINTAYR SWYLSSYYGN PEKGIRSWTL
 Penton12 RIEPVETDPK GRSYNLL . . . P. DKKNTKYR SWYLAYNYGD PEKGVRWSWTL
 Penton40 EIVPVEKDSK ERSYNLL . . . EGDKNNNTAYR SWFLAYNYGD AEKGVKSWTL
 Penton17 VIEPIKQDDT KRSYNLI . . . E. GTMDTLYR SWLSSYTYYRD PENGVQSWTL
 Pentonf10 . . . PLLHDSA GVSYNVIYDQ VTGKPVTAYR SWMLAYNVPN SQANQT . TL

450

12 / 28

451

Penton5 LCTPDVTCGS EQVYWSLPPDM MQDPVTFRST RQISNFPVVG AELLPVHSKS
 Penton2 LCTPDVTCGS EQVYWSLPPDM MQDPVTFRST SQISNFPVVG AELLPVHSKS
 Penton3 LTTSDVTCGA EQVYWSLPPDM MQDPVTFRST RQVNMYPVVG AELMPVFSKS
 Penton12 LTTPDVTCGS EQVYWSLPPDM MQDPVTFRST RQVSNYPVVA AELLPVHAKS
 Penton40 LTTTDVTCGS QQVYWSLPPDM MQDPVTFRPS TQVSNYPVVG VELLPVHAKS
 Penton17 LTTPDVTCGA EQVYWSLPPDL MQDPVTFRST QQVSNYPVVG AELMPFRAKS
 Pentonf10 LTVPDMAGGI GAMYTSLPPDT FIAPTGFKD TTTNLCPVVG MNLFPTYNKI

500

Penton5 FYNDQAVYSQ LIRQFT . SLT HVFNRFPENQ ILARPPAPTI TTVSENPAL
 Penton2 FYNDQAVYSQ LIRQFT . SLT HVFNRFPENQ ILARPPAPTI TTVSENPAL
 Penton3 FYNEQAVYSQ QLRQAT . SLT HVFNRFPENQ ILIRPPAPTI TTVSENPAL
 Penton12 FYNEQAVYSQ LIRQST . ALT RVFNRFPENQ ILVRRPAATI TTVSENPAL

550

13/28

F/G. 6C

Penton40	FYNEQAVYSQ	LIRQST . ALT	HIFNRFPENQ	ILVRPPAPTI	TTVSENVPAL
Penton17	FYNDLAVYSQ	LIRSYT . SLT	HVNRFPDNQ	IICRPPAPTI	TTVSENVPAL
Pentonf10	YYQQAASTYVQ	RLENSCQSAT	AAFNRFPENE	ILKQAPPMMNV	SSVCDNQPAV
600					
Penton5	TDHGTLPLRN	SIGGVQRVTI	TDARRRTCPY	VYKALGIVSP	RVLSSRTF*
Penton2	TDHGTLPLRN	SIGGVQRVTI	TDARRRTCPY	VYKALGIVSP	RVLSSRTF*
Penton3	TDHGTLPLRS	SIRGVQRVTV	TDARRRTCPY	VYKALGIVAP	RVLSSRTF*
Penton12	TDHGTLPLRS	SISGVQRVTI	TDARRRTCPY	VYKALGIVSP	RVLSSRTF*
Penton40	TDHGTLPLRS	SISGVQRVTI	TDARRRTCPY	VHKALGIVAP	KVLSSRTF*
Penton17	TDHGTLPLRS	SIRGVQRVTV	TDARRRTCPY	VYKALGIVAP	RVLSSRTF*
Pentonf10	VQQGVLPVKS	SLPGLQRVLI	TDDQRRPIPY	VYKSIATVQP	TVLSSATLQ*

14/28

FIG. 7A-1

Fiber17.Pep x Fiber2.Pep

1	MSKRLRVEDDFNPVYPPGYARN.QNIPFLTPFPVSSDGFKNFPPGVLSLK	49-SEQ ID:11
1	MKRARPSEDTFNPVYPPYDTETGPPTVPFLLTSPNGFQESPPGVLSLR	50-SEQ ID N0:12
50	LADPITIANGDVSLKVGGGLTLQE.....	73
51	VSEPLDTSHGMLALKMGSGLTLDKAGNLTSQNVTVTQPLKKTKSNISLD	100
74	GSLTVDPKAPLQLA.....	NNKKLELVYVDPF 100
101	TsapLTITSGALTVAATTAPLIVTSGALSVQSQAPLTVQDSKLSSIATKGPI	150
101	EV SANKLSSLKVGHGLK.....	ILDDK 121
151	TVSDGKLALQTSAPLSGSDSDTLLTVTASPPLTATGSLGINMEDPIYVNN	200
122	SAGGLK.....	DLIGKLVVLTGKGIGTE.....
201	GKIGIKISGPLQVAQNSDTLTVVTGPGVTVEQNSLRTKVAGAIGYDSSNN	250

15 / 28

FIG. 7A-2

145 NLQNTD...GSSRGIGISVRARE 164
| : | : | : | : | : | : | : |
301 YNRGLYLFNASNNTKKLEVKSSGLNFNTAIAINAGKGLEFDNTNTSE 350
| : | : | : | : | : | : |
165 GLTFDNDGYLVAWNPKYDTRT 185
| : | : | : | : | : | : |
351 SPDINPIKTKGSGIDYNENGAMITKLGAGLSFDNSGAITIGNKNDDKLT 400
| : | : | : | : | : | : |
186 LWTTPDTSPNCRIDKEKDSKLT LVLTKCGSQILANVSLIVVSGKYQYIDH 235
| : | : | : | : | : | : | : | : | : | : | : | : |
401 LWTTPDPSPNCRIHSDNDCKFTLVLTKCGSQVLATVAALAVSGDLS . . . 446

16 / 28

FIG. 7B

236 ATNPTLKSFKIKLLFDNKGVLLPSSNLDSYWNFRSDNLTVSEAYKNAVE 285
286 FMPNLVAYPKPTTGSKKYARDIVYGNITYLGGLAYQPVVVIKVTFNEAD.. 333
447 SMTGTVASVSIFLRFDONGVLMENSSLKKHYWNFRNGNSTNANPYTNAVG 496
497 FMPNLLAYPKTQSQT...AKNNIVSQVYLHGDKTKPMILTTLNGTSEST 543

334 SAYSITFEFWNKE. YARVEFETTSFTFSYIAQQ 366
544 ETSEVSTYSMSFTWSWESGKYTTETFATNSYTFSYIAQE 582

17/28

FIG. 8A-1

	1	50
8 fiber	MTKRLRA.	EDDFN PVVPPGYARN Q. NIPFLTPP FVSSNGFQNF
9 fiber	MSKRLRV.	EDDFN PVVPPGYARN Q. NIPFLTPP FVSSDGFQNF
15 fiber	MSKRLRV.	EDDFN PVVPPGYARN Q. NIPFLTPP FVSSDGFQNF
17 fiber	MSKRLRV.	EDDFN PVVPPGYARN Q. NIPFLTPP FVSSDGFKNF
2 fiber	MKRARP.	SEDTFN PVVPPYDTETG PPTVPFLTPP FVSPNGFQES
5 fiber	MKRARP.	SEDTFN PVVPPYDTETG PPTVPFLTPP FVSPNGFQES
4 fiber	MSKSARG.	WSDGFD PVVPYDADND RP. CPSSTLP SFSSDGFQEK
40-1 fiber	MKRTRIE.	DDFN PVVPPYD.TSS TPSIPTYVAPP FVSSDGLQEN
41 fiber	MKRTRIE.	DDFN PVVPPYD.TFS TPSIPTYVAPP FVSSDGLQEK
40-2 fiber	MKRARFE.	DDFN PVVPPYE.HYN PLDIPFITPP FASSNGLQEK
12 fiber	MKRSRTQYA	EETEENDDFN PVYPFD.PFD TSDVPFVTPP FTSSNGLQEK
3 fiber	MAKRARL.	STSFn PVVPPYDESS SQH . PFINPG FISPDGFTQS

FIG. 8A-2

51	PPGVLSLKLA DPITIN.NQN VSLKVGGGLT LQEET PPGVLSLKLA DPLATV.NGN VSLKVGGGLT LQDGT PPGVLSLKLA DPLAIA.NGN VSLKMGGGLT LQEGT PPGVLSLKLA DPITIA.NGD VSLKVGGGLT LQE PPGVLSLRVS EPLDTS.HGM LALKMGSGLT LDKAGNLTSQ NVTFTVTPQLK SEQ ID NO:13 PPGVLSLRLS EPLVTS.NGM LALKMGNGLS LDEAGNLTSQ NVTFTVSPPLK SEQ ID NO:14 PLGVLSLGPG RPCHTK.NGE ITLKLGEGV D LDSSGKLIAN TVNKAIAPL. SEQ ID NO:15 PPGVLALKYT DPITNAKHE LTLKLGSNIT LQ.NGILSA. PPGVLALKYT DPITNAKHE LTLKLGSNIT LE.NGILSA. PPGVLSLKTY DPLTTK.NGA LTLKLGTGLN IDKNGDLSSD ASVEVSAPLITSEQ ID NO:18 PPGVLALNYK DPLVTE.NGT LTLKLGDGIK LNAQGQLTAS NNINVLEPLT SEQ ID NO:19 PNGVLSLKCV NPLTTA.SGS LQLKVGGGLT VD 100 18/28	101	150
8 fiber
9 fiber
15 fiber
17 fiber
40-1 fiber
41 fiber
40-2 fiber
12 fiber
3 fiber

FIG. 8B-1

2fiber	KTKSNISLDT	FAPLTITSGA	LTVATTAPLI	VTSGALSQVS	QAPLTVQDSK
5fiber	KTKSNINLEI	SAPLTVTSEA	LTVAAAAPLM	VAGNTLTMQS	QAPLTVHDSK
4fiber	SFFQQH	HFPL
40-1fiber
41fiber
40-2fiber	KTNKIVGLNY	TKPLALQMINA	LTLSYNAPFN	VNNNNLALNM	SQPVTI
12fiber	NTSQGLKLSW	SAPLAVKASA	LTLNTRAPLT	TTDESLALIT	APPITVESSR
3fiber
151
8fiber
9fiber
15fiber
17fiber
2fiber
5fiber
4fiber
40-1fiber
41fiber
40-2fiber	NANNELSLL	IDAPLNADTG
12fiber	LGLATIAPLS	LDGGGNLGLN	LSAPLDVSNN	NLHLTTETPL	GLVSDK.TLKV
3fiber
200

FIG. 8B-2

FIG. 8B-3

F/G. 8C-/

5fiber	FDSQGNMQLN	VAGGLRIDSQ	NRRLIILDVSY	PFDAQNQLNL	RLGQGPLFIN	22/28
4fiber	FDDKG	400
40-1fiber	FNNTGALQLN	AAGGMRVDG A	N..LILHVAY	PFEAINQLTL	R..	
41fiber	FNNTGALQLN	AAGGMRVDG A	N..LILHVAY	PFEAINQLTL	R..	
40-2fiber	LGG..SKLIIN	LGPGLQMSNG	A..ITL..	ALDAALPL..	Q	
12fiber	FDN..GVMKVN	VAGGMRTSGG	R..IILDVNY	PFDASNNLSL	RRGLGLIYNQ	
3fiber	
8fiber	
9fiber	
15fiber	
17fiber	ASHNLDINYN	RGLYLFNASN	NTKKLEVSIK	KSSGLNFDNT	AIAINAGKGL	
2fiber	SAHNLDINYN	KGLYLFNASN	NSKKLEVNL	TAKGLMFDAT	AIAINAGDGL	
5fiber	
4fiber	NIKITLN	RGLHVTTGDA	..IESNIS	WAKGIKFEDG	AIATNTIGKGS	
40-1fiber	
41fiber	
40-2fiber	YKNN	QLQLRIGS	
12fiber	STNW	NLTTDIST	
3fiber	

FIG. 8C-2

23/28

401	GTDLSNNGG.NICVRVG	E.	GGGLS	FNDNGDLVAF
	GTESTDNGG.TVCVRVG	E.	GGGLS	FNNDGDLVAF
	GTDTTDNGG.SIRVRVG	E.	GGGLS	FNEAGDLVAF
	GTENLQNTDG	SSRGIGISVR	A.	REGLT	FDNDGYLVAW
	EFDTNNTSESP	DINPIKTKIG	SGIDYNNENGA	MITKLGAGLS	FDNSGAIITIG	
	EFG. .SPNAP	NTNPLKTKIG	HGLEFDSNKA	MVPKLGTGLS	FDSTGAIIVG	
	RFGTSSSTETG	VNNAYPIQV.	KLGSGLS	FDSTGAIMAG
	40-1fiber
	41fiber	LE	NGLEVTINGK	LNVKLGSGLQ
	40-2fiber	ASALIMMSGVT	QTLNVNANTS	FDNNGRITIS
	12fiber	EKGLMFSGN.
	3fiber

FIG. 8C-3

501	NVSLIVVAGR	YK1INNNNTNP	. . ALKGFTIK	LLFDKNGVLM	ESSN
8 fiber	NVSLIVVDGK	YK1INNNNTQP	. . ALKGFTIK	LLFDENGVLM	ESSN
9 fiber	SVSLLIVVKGK	FSNINNNNTNP	NEADKQITVK	LLFDANGVLK	QGST
15 fiber	NVSLIVVSGK	YQYIDHATNP	. . TLKSFKIK	LLFDNKGVLL	PSSN
17 fiber	TVAALAV.S. GDLSSM	TGTVASVSIF	LRFDQNGVLM	ENSS
2 fiber	TVSVLAV.K. GSLAPI	SGTVQSAHLI	IRFDENGVLL	NNMF
5 fiber					

25/28

FIG. 8D-1

4 fiber	TVSVLUVRS.GNLNPI TGTVSSAQVF	LRFDANGVLL TEHS	600
40-1 fiber	TITIKGLKGA	LREMNDNA..	LSVK LPFDNQGNLL NCA	
41 fiber	TITIKGLKGA	LREMHDNA..	LSLK LPFDNQGNLL NCA	
40-2 fiber	TISIKAQKGT	LL. . KPTASF	ISFV MYFYSDGTWR KNYPVFDNEG	
12 fiber	IVSLUVKGN	LLNIQSTTTT	VGVH LVFDEQGRLI TSTRP T	
3 fiber	YVTLMGASDY	VNTLFKNKNV	SINVE LYFDATGHIL PDSSLKTDL	
551	.. LGKSYWNF	RNQNSIMSTA	YEKAIGFMNP LVAYPKPTTG SKKY . . . ARD	
9 fiber	.. LGKSYWNF	RNENSIMSTA	YEKAIGFMNP LVAYPKPTAG SKKY . . . ARD	
15 fiber	.. MDSSYWNF	RSDNSNLSQP	YKKAVGFMPS KTAYPKQTKP TNKEISQAKN	
17 fiber	.. LDSTYWNF	RSDNLTVSEA	YKNAVEFMNP LVAYPKPTTG SKKY . . . ARD	
2 fiber	.. LKKHYWNF	RNGNSTNANP	YTNAVGFMNP LLAYPKTQSQ T AKN	
5 fiber	.. LDPEYWNF	RNGDLTEGTA	YTNAVGFMNP LSAYPKSHGK T AKS	
4 fiber	.. TSKKKWGY	KQGDSIDGTP	YTNAVGFMNP STAYPKTQS S T TKN	
40-1 fiber	.. LESSTWRY	QETNAV.. . .	SNALTFMPN STVYPRNKT A D PGN	
41 fiber	.. LESSTWRY	QETNAV.. . .	SNALTFMPN STVYPRNKT A H PGN	
40-2 fiber	.. ILANSATWGY	RQQSANTN.	VSNAAVEFMPS SKRYPNEKG S E VQN	
12 fiber	ALVPQASWGY	RQQSVSTNT	VTNGLGFMPN VSAYPRPNAS E AKS	
3 fiber	ELKYKQTADF	SARGFMPS TTAYPFVLPN AGTH . . . NEN	

26/28


601		650
8 fiber	IVYGNIYLGG	KPHQ.. PVTI KTFNQETG.
9 fiber	IVYGNIYLGG	KPQQ.. PVTI KTFNQETG.
15 fiber	KIVSNVYLGG	KIDQ.. PCVI IISFNEAD.
17 fiber	IVYGNIYLGG	LAYQ.. PVVI KVTFNEAD.
2 fiber	NIVSQVYLHG	DKTK.. PMIL TITLINGTSES
5 fiber	NIVSQVYLNG	DKTK.. PVTL TITLINGTQET
4 fiber	NIVGQVYMMNG	DVSK.. PMLL TITLINGTDDT
40-1 fiber	MLI..	QISP.. NITF SVVYNEINS.
41 fiber	MLI..	QISP.. NITF SVVYNEINS.
40-2 fiber	MALTYTFLQG	DPM.. AISF QSIYN.. HA.
12 fiber	QMVSLTYLQG	DTSK.. PITM KVAFNGITS.
3 fiber	YIFGQCYYKA	SDGALFPLEV TVMLNKRLPD

651	672
8 fiber	. YVNVEFETT SFTFSYIAQE *
9 fiber	. YVNVEFETT SFTFSYIAQE *
15 fiber	. YENVQFDSS SFNFSYIAQE *
17 fiber	. YARVEFETT SFTFSYIAQQ *
2 fiber	KYTTETFATT SYTFSYIAQE *
5 fiber	NYINEIFATS SYTFSYIAQE *
4 fiber	SYIGATFGAN SYTFSYIAQQ *
40-1 fiber	.. GKFHPP TAVFCYITEQ *
41 fiber	.. GKFHPP TAVFCYITEQ *
40-2 fiber	.. NERFDIP CCSFSYVTEQ *
12 fiber	NYINQFSTP CCSFSYITQE *
3 fiber	T.TQATLITS PFTFSYIRED D*


FIG. 8D-2

27/28

FIG. 9



28 / 28



INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 97/21494

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C12N15/86 A61K48/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 C12N A61K C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	P.W. ROELVINK ET AL.: "Comparative analysis of adenovirus fiber-cell interaction: Ad2 and Ad9 utilize the same cellular fiber receptor but use different binding strategies for attachment" JOURNAL OF VIROLOGY, vol. 70, no. 11, November 1996, AMERICAN SOCIETY FOR MICROBIOLOGY US, pages 7614-7621, XP002062100 see page 7620, last paragraph ---	1-13
A	WO 96 26281 A (GENVEC INC ;CORNELL RES FOUNDATION INC (US)) 29 August 1996 see example 7 ---	1,4,6-8, 10,11 -/-

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

1

Date of the actual completion of the international search

14 April 1998

Date of mailing of the international search report

123.04.98

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patenttaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl
Fax: (+31-70) 340-3016

Authorized officer

Cupido, M

INTERNATIONAL SEARCH REPORT

Interr	nal Application No
PCT/US 97/21494	

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	J. GALL ET AL: "Adenovirus type 5 and 7 capsid chimera: Fiber replacement alters receptor tropism without affecting primary immune neutralization epitopes" JOURNAL OF VIROLOGY., vol. 70, no. 4, April 1996, pages 2116-2123, XP002050655 see the whole document ---	1,4,6-8, 10,11
P,X	WO 97 12986 A (CORNELL RES FOUNDATION INC) 10 April 1997 see page 15, line 1 - line 7 -----	1,2,13

INTERNATIONAL SEARCH REPORT

Int'l. application No.

PCT/US 97/21494

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.: 11 to 13 because they relate to subject matter not required to be searched by this Authority, namely:
Although these claims are directed to a method of treatment of the human or animal body, the search has been carried out and based on the alleged effects of the adenoviral vector
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
 No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 97/21494

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9626281 A	29-08-96	AU 4980496 A CA 2213343 A EP 0811069 A	11-09-96 29-08-96 10-12-97
WO 9712986 A	10-04-97	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.